



Preview/Index



Entrez PubMed Municotide Protein

Limits

Structure

PARC

One page.

Book

Search PubMed

for EphA OR EphB OR EphinB OR EphinA OR Sek1

Clear Go

Clipboard Details

Journals

About Entrez

One of your terms is not found in the database. See Details.

Text Version

Entrez PubMed Overview Help | FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services Journals Database MeSH Database Single Citation Matcher Batch Citation Matcher Clinical Queries LinkOut Cubby

Related Resources Order Documents **NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

Display Summary Items 1-306 of 306

★ Show: 500 **★**

History

Send to Text

1: Yoshizumi M, Fujita Y, Izawa Y, Suzaki Y, Kyaw M, Ali N, Tsuchiya K, Kagami S, Yano S, Sone S, Tamaki T.

Related Articles, Links

Ebselen inhibits tumor necrosis factor-alpha-induced c-Jun N-terminal kinase activation and adhesion molecule expression in endothelial cells.

Exp Cell Res. 2004 Jan 1;292(1):1-10. PMID: 14720501 [PubMed - in process]

2: Davison K, Mann KK, Waxman S, Miller WH.

Related Articles, Links

JNK activation is a mediator of arsenic trioxide-induced apoptosis in acute promyelocytic leukemia cells.

Blood. 2003 Dec 30 [Epub ahead of print] PMID: 14701702 [PubMed - as supplied by publisher]

3. Grunwald IC, Korte M. Adelmann G, Plueck A, Kullander K, Adams RH, Frotscher M, Bonhoeffer T, Klein R

Related Articles, Links

Hippocampal plasticity requires postsynaptic ephrinBs. Nat Neurosci. 2004 Jan;7(1):33-40. Epub 2003 Dec 14.

PMID: 14699416 [PubMed - in process]

4: Xu B, Li S, Brown A, Gerlai R, Fahnestock M, Racine RJ.

Related Articles, Links

EphA/ephrin-A interactions regulate epileptogenesis and activity-dependent axonal sprouting in adult rats.

Mol Cell Neurosci. 2003 Dec;24(4):984-99. PMID: 14697663 [PubMed - in process]

5: Sun W, Yu Y, Fu Y, Chiang H, Xie H, Lu D.

Related Articles, Links

Effects of power-frequency magnetic fields exposure on phosphorylation and enzymatic activity of stress-activated protein kinase and its upstream

Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2002 Aug;20(4):256-9. Chinese. PMID: 14694647 [PubMed - in process]

6: Finne EF, Munthe E. Aasheim HC.

Related Articles, Links

A new ephrin-A1 isoform (ephrin-A1 isoform b) with altered receptor binding properties abrogates the cleavage of ephrin-A1 isoform a. Biochem J. 2003 Dec 23 [Epub ahead of print]

PMID: 14692877 [PubMed - as supplied by publisher]

7: Henkemeyer M. Itkis OS, Ngo M, Hickmott PW, Ethell IM.

Related Articles, Links

Multiple EphB receptor tyrosine kinases shape dendritic spines in the hippocampus.

J Cell Biol. 2003 Dec 22;163(6):1313-26. PMID: 14691139 [PubMed - in process]

h

cb

h g fcg e ch

cb

hg e e

□8:	Hofmann TG, Stollberg N, Schmitz ML, Will H.	Related Articles, Links
222	HIPK2 regulates transforming growth factor-beta-induced terminal kinase activation and apoptosis in human hepato Cancer Res. 2003 Dec 1;63(23):8271-7. PMID: 14678985 [PubMed - in process]	d c-Jun NH(2)- ma cells.
□9:	Sturz A, Bader B, Thierauch KH, Glienke J.	Related Articles, Links
	EphB4 signaling is capable of mediating ephrinB2-induc	ed inhibition of cell
	migration. Biochem Biophys Res Commun. 2004 Jan 2;313(1):80-8. PMID: 14672701 [PubMed - in process]	
□ 10	Cheng N, Brantley D, Fang WB, Liu H, Fanslow W, Cerretti DP, Bussell KN, Reith A, Jackson D, Chen J	
	Inhibition of VEGF-dependent multistage carcinogeness receptors. Neoplasia. 2003 Sep-Oct;5(5):445-56. PMID: 14670182 [PubMed - in process]	is by soluble EphA
□11	Machino T, Hashimoto S, Maruoka S, Gon Y, Hayashi S, Mizumura K, Nishitoh H, Ichijo H, Horie T	Related Articles, Links
	Apoptosis signal-regulating kinase 1-mediated signaling hydrogen peroxide-induced apoptosis in human pulmon endothelial cells. Crit Care Med. 2003 Dec;31(12):2776-81. PMID: 14668614 [PubMed - indexed for MEDLINE]	g pathway regulates ary vascular
III 12	: Cheng Q, Sasaki Y, Shoji M, Sugiyama Y, Tanaka H, Nakayama T, Mizuki N, Nakamura F, Takei K, Goshima Y.	Related Articles, Links
	Cdk5/p35 and Rho-kinase mediate ephrin-A5-induced s ganglion cells. Mol Cell Neurosci. 2003 Nov;24(3):632-45. PMID: 14664814 [PubMed - in process]	signaling in retinal
□ 13	Hu Z, Yue X, Shi G, Yue Y, Crockett DP, Blair-Flynn J, Reuhl K, Tessarollo L, Zhou R.	Related Articles, Links
	Corpus callosum deficiency in transgenic mice expression ephrin-A receptor. J Neurosci. 2003 Nov 26;23(34):10963-70. PMID: 14645492 [PubMed - indexed for MEDLINE]	ng a truncated
□ 14	: Tfelt-Hansen J, Chattopadhyay N, Yano S, Kanuparthi D, Rooney Brown EM	P, Schwarz P, Links
	Calcium-Sensing Receptor Induces Proliferation throug PI3 kinase but not ERK in a Model of Humoral Hyperc Malignancy (HHM). Endocrinology. 2003 Nov 26 [Epub ahead of print] PMID: 14645111 [PubMed - as supplied by publisher]	
□ 15	5: Bach H, Feldheim DA, Flanagan JG, Scalia F.	Related Articles, Links
	Persistence of graded EphA/Ephrin-A expression in the system. J Comp Neurol. 2003 Dec 22;467(4):549-65. PMID: 14624488 [PubMed - indexed for MEDLINE]	e adult frog visual
□10	6: Mann F, Miranda E, Weinl C, Harmer E, Holt CE.	Related Articles, Links
	B-type Eph receptors and ephrins induce growth cone of distinct intracellular pathways.	collapse through

e fcg e ch

cb

h g

PMID: 14608666 [PubMed - indexed for MEDLINE]

□ 17:	Vaidya A, Pniak A, Lemke G, Brown A.	Related Articles, Links
	EphA3 null mutants do not demonstrate motor axon guid Mol Cell Biol. 2003 Nov;23(22):8092-8. PMID: 14585969 [PubMed - indexed for MEDLINE]	dance defects.
□ 18:	Nishitai G, Shimizu N, Negishi T, Kishimoto H, Nakagawa K, Kitagawa D, Watanabe T, Momose H, Ohata S, Tanemura S, Asaka S, Kubota J, Saito R, Yoshida H, Mak TW, Wada T, Penninger JM, Azuma N, Nishina H, Katada T.	Related Articles, Links
	Stress induces mitochondria-mediated apoptosis indepen	ndent of
	SAPK/JNK activation in embryonic stem cells. J Biol Chem. 2004 Jan 16;279(3):1621-6. Epub 2003 Oct 29. PMID: 14585831 [PubMed - in process]	
□ 19:	Halford MM, Chumley MJ, Henkemeyer M.	Related Articles, Links
	Ephective endocytosis. Dev Cell. 2003 Oct;5(4):536-7. PMID: 14536055 [PubMed - indexed for MEDLINE]	
□ 20:	Kuai XL, Cong XQ, Li XL, Xiao SD.	Related Articles, Links
	Generation of hepatocytes from cultured mouse embryo Liver Transpl. 2003 Oct;9(10):1094-9. PMID: 14526405 [PubMed - in process]	nic stem cells.
□ 21:	Miao H. Nickel CH, Cantley LG, Bruggeman LA, Bennardo LN, Wang B.	Related Articles, Links
	EphA kinase activation regulates HGF-induced epithelia morphogenesis. J Cell Biol. 2003 Sep 29;162(7):1281-92. PMID: 14517207 [PubMed - indexed for MEDLINE]	al branching
□ 22:	Ham YM, Choi JS, Chun KH, Joo SH, Lee SK.	Related Articles, Links
	The c-Jun N-terminal kinase 1 activity is differentially respecific mechanisms during apoptosis. J Biol Chem. 2003 Dec 12;278(50):50330-7. Epub 2003 Sep 26. PMID: 14514687 [PubMed - indexed for MEDLINE]	egulated by
□ 23:	Vidovic M, Marotte LR.	Related Articles, Links
	Analysis of EphB receptors and their ligands in the deverence of the wallaby reveals dynamic presence of the wallaby reveals dynamic presented by the wallaby reveals d	
□ 24:	Mackawa H, Oike Y, Kanda S, Ito Y, Yamada Y, Kurihara H, Nagai R, Suda T.	Related Articles, Links
	Ephrin-B2 induces migration of endothelial cells throug phosphatidylinositol-3 kinase pathway and promotes an vasculature. Arterioscler Thromb Vasc Biol. 2003 Nov 1;23(11):2008-14. Epub PMID: 14500293 [PubMed - in process]	giogenesis in adult
25 :	Zimmer M, Palmer A, Kohler J, Klein R.	Related Articles, Links
	EphB-ephrinB bi-directional endocytosis terminates addrontact mediated repulsion. Nat Cell Biol. 2003 Oct;5(10):869-78. Epub 2003 Sep 14. PMID: 12073358 BibMed. indexed for MEDI INE!	nesion allowing

e fcg

e ch

□ 26:	Song JJ, Lee YJ.	Related Articles, Links
	Role of the ASK1-SEK1-JNK1-HIPK1 signal in Daxx to ASK1 oligomerization. J Biol Chem. 2003 Nov 21;278(47):47245-52. Epub 2003 Sep 10. PMID: 12968034 [PubMed - in process]	afficking and
□ 27:	Fanning PJ, Emkey G, Smith RJ, Grodzinsky AJ, Szasz N, Trippel SB.	Related Articles, Links
	Mechanical regulation of mitogen-activated protein kina articular cartilage. J Biol Chem. 2003 Dec 19;278(51):50940-8. Epub 2003 Sep 02. PMID: 12952976 [PubMed - indexed for MEDLINE]	se signaling in
□ 28:	Bundesen LQ, Scheel TA, Bregman BS, Kromer LF.	Related Articles, Links
	Ephrin-B2 and EphB2 regulation of astrocyte-meningea interactions in response to spinal cord lesions in adult ra J Neurosci. 2003 Aug 27;23(21):7789-800. PMID: 12944508 [PubMed - indexed for MEDLINE]	
□ 29	Compagni A, Logan M, Klein R, Adams RH.	Related Articles, Links
	Control of skeletal patterning by ephrinB1-EphB interaction Dev Cell. 2003 Aug;5(2):217-30. PMID: 12919674 [PubMed - indexed for MEDLINE]	ctions.
□ 30	de Saint-Vis B, Bouchet C, Gautier G, Valladeau J, Caux C, Garrone P	Related Articles, Links
	Human dendritic cells express neuronal Eph receptor type of EphA2 in regulating adhesion to fibronectin. Blood. 2003 Dec 15;102(13):4431-40. Epub 2003 Aug 07. PMID: 12907451 [PubMed - indexed for MEDLINE]	rosine kinases: role
□31	: Augustin HG, Reiss Y.	Related Articles, Links
	EphB receptors and ephrinB ligands: regulators of vasculation homeostasis. Cell Tissue Res. 2003 Oct;314(1):25-31. Epub 2003 Aug 02. PMID: 12905065 [PubMed - in process]	ılar assembly and
□ 32	Maruoka S, Hashimoto S, Gon Y, Nishitoh H, Takeshita I, Asai Y, Mizumura K, Shimizu K, Ichijo H, Horie T.	Related Articles, Links
	ASK1 regulates influenza virus infection-induced apopt Biochem Biophys Res Commun. 2003 Aug 8;307(4):870-6. PMID: 12878192 [PubMed - indexed for MEDLINE]	otic cell death.
□ 33	: Bardeleben R, Kaina B, Fritz G.	Related Articles, Links
	Ultraviolet light-induced apoptotic death is impaired by reductase inhibitor lovastatin. Biochem Biophys Res Commun. 2003 Jul 25;307(2):401-7. PMID: 12859971 [PubMed - indexed for MEDLINE]	the HMG-CoA
□ 34	: Song JJ, Lee YJ.	Related Articles, Links
	Effect of glucose concentration on activation of the ASI signal transduction pathway. J Cell Biochem. 2003 Jul 1;89(4):653-62. PMID: 12858332 [PubMed - indexed for MEDLINE]	K1-SEK1-JNK1
35	: Yu YM, Han PL, Lee JK.	Related Articles, Links
	JNK pathway is required for retinoic acid-induced neuri	te outgrowth of

e fcg e ch b e h cb h g

cb


h g


e e

Neuroreport. 2003 May 23;14(7):941-5. PMID: 12802179 [PubMed - indexed for MEDLINE] 36: Sharfe N, Freywald A, Toro A, Roifman CM. Related Articles, Links Ephrin-A1 induces c-Cbl phosphorylation and EphA receptor downregulation in T cells. J Immunol. 2003 Jun 15;170(12):6024-32. PMID: 12794130 [PubMed - indexed for MEDLINE] Related Articles, Links **37:** Bezombes C, Laurent G, Jaffrezou JP. Implication of raft microdomains in drug induced apoptosis. Curr Med Chem Anti-Canc Agents. 2003 Jul;3(4):263-70. Review. PMID: 12769772 [PubMed - indexed for MEDLINE] Related Articles, Links 38: Kania A, Jessell TM. Topographic motor projections in the limb imposed by LIM homeodomain protein regulation of ephrin-A:EphA interactions. Neuron. 2003 May 22;38(4):581-96. PMID: 12765610 [PubMed - indexed for MEDLINE] 39. Jurewicz A, Matysiak M, Tybor K, Selmaj K. Related Articles, Links TNF-induced death of adult human oligodendrocytes is mediated by c-jun NH2-terminal kinase-3. Brain. 2003 Jun; 126(Pt 6): 1358-70. PMID: 12764057 [PubMed - indexed for MEDLINE] 40: Ham YM, Chun KH, Choi JS, Kim DH, Lee SK. Related Articles, Links SEK1-dependent JNK1 activation prolongs cell survival during G-Rh2-induced apoptosis. Biochem Biophys Res Commun. 2003 May 2;304(2):358-64. PMID: 12711323 [PubMed - indexed for MEDLINE] 41: McLaughlin T, Hindges R, Yates PA, O'Leary DD. Related Articles, Links Bifunctional action of ephrin-B1 as a repellent and attractant to control bidirectional branch extension in dorsal-ventral retinotopic mapping. Development. 2003 Jun;130(11):2407-18. PMID: 12702655 [PubMed - indexed for MEDLINE] 12: Tfelt-Hansen J, MacLeod RJ, Chattopadhyay N, Yano S, Quinn S, Related Articles, Links Ren X, Terwilliger EF, Schwarz P, Brown EM. Calcium-sensing receptor stimulates PTHrP release by pathways dependent on PKC, p38 MAPK, JNK, and ERK1/2 in H-500 cells. Am J Physiol Endocrinol Metab. 2003 Aug;285(2):E329-37. Epub 2003 Apr 15. PMID: 12700162 [PubMed - indexed for MEDLINE] 13. Sathyanarayana P, Barthwal MK, Lane ME, Acevedo SF. Related Articles, Links Skoulakis EM, Bergmann A, Rana A Drosophila mixed lineage kinase/slipper, a missing biochemical link in Drosophila JNK signaling. Biochim Biophys Acta. 2003 Apr 7;1640(1):77-84. PMID: 12676357 [PubMed - indexed for MEDLINE] 44: Koo J, Shim S, Gu C, Yoo O, Park S. Related Articles, Links Identification of an enhancer region in the mouse ephA8 locus directing expression to the anterior region of the dorsal mesencephalon. Dev Dyn. 2003 Apr;226(4):596-603. PMID: 12666197 [PubMed - indexed for MEDLINE] 15. Battaglia AA, Sehayek K, Grist J, McMahon SB, Gavazzi L. Related Articles, Links

e ch

e fcg






h cb hg e e e fcg

e ch

cb


h g

e e



e ch


fcg



h cb hg e e e fcg

e ch

. e



cb hg e e e fcg e ch b e

h

□ 89:	Kim I, Ryu YS, Kwak HJ, Ahn SY, Oh JL, Yancopoulos GD, Gale NW, Koh GY.	Related Articles, Links
	EphB ligand, ephrinB2, suppresses the VEGF- and angion Ras/mitogen-activated protein kinase pathway in venous FASEB J. 2002 Jul;16(9):1126-8. Epub 2002 May 21. PMID: 12039842 [PubMed - indexed for MEDLINE]	poietin 1-induced endothelial cells.
□ 90:	Park HJ, Kim BC, Kim SJ, Choi KS.	Related Articles, Links
	Role of MAP kinases and their cross-talk in TGF-beta1-in FaO rat hepatoma cell line. Hepatology. 2002 Jun;35(6):1360-71. PMID: 12029621 [PubMed - indexed for MEDLINE]	nduced apoptosis
□ 91:	Gerlai R.	Related Articles, Links
	EphB and NMDA receptors: components of synaptic platogether. Trends Neurosci. 2002 Apr;25(4):180-1. No abstract available. PMID: 11998685 [PubMed - indexed for MEDLINE]	sticity coming
□ 92:	Palmer A, Zimmer M, Erdmann KS, Eulenburg V, Porthin A, Heumann R, Deutsch U, Klein R.	Related Articles, Links
	EphrinB phosphorylation and reverse signaling: regulation and PTP-BL phosphatase. Mol Cell. 2002 Apr;9(4):725-37. PMID: 11983165 [PubMed - indexed for MEDLINE]	on by Src kinases
□ 93:	Liu W, Ahmad SA, Jung YD, Reinmuth N, Fan F, Bucana CD, Ellis LM	Related Articles, Links
	Coexpression of ephrin-Bs and their receptors in colon of Cancer. 2002 Feb 15;94(4):934-9. PMID: 11920461 [PubMed - indexed for MEDLINE]	arcinoma.
□ 94:	Patel BN, Van Vactor DL.	Related Articles, Links
	Axon guidance: the cytoplasmic tail. Curr Opin Cell Biol. 2002 Apr;14(2):221-9. Review. PMID: 11891122 [PubMed - indexed for MEDLINE]	
T. 95	Wei W, Wang X, Kusiak JW.	Related Articles, Links
	Signaling events in amyloid beta-peptide-induced neuro insulin-like growth factor I protection. J Biol Chem. 2002 May 17;277(20):17649-56. Epub 2002 Mar 06. PMID: 11882652 [PubMed - indexed for MEDLINE]	nal death and
□ 96	Gerety SS, Anderson DJ	Related Articles, Links
	Cardiovascular ephrinB2 function is essential for embry Development. 2002 Mar;129(6):1397-410. PMID: 11880349 [PubMed - indexed for MEDLINE]	onic angiogenesis.
□ 97	: Knoll B, Drescher U.	Related Articles, Links
	Ephrin-As as receptors in topographic projections. Trends Neurosci. 2002 Mar;25(3):145-9. Review. PMID: 11852146 [PubMed - indexed for MEDLINE]	
□ 98	Weng Y, Wang Y, Xue J, Zhang Z, Zhou Y, Chen D, Li C.	Related Articles, Links
	[The influence of side-to-side portacaval shunt plus enh perfusion of hepatic artery on cirrhotic liver: an experim Zhonghua Wai Ke Za Zhi. 1998 Aug;36(8):487-90. Chinese. PMID: 11825448 [PubMed - indexed for MEDLINE]	ancement of nental study]

	8
799: Shin EY, Kim SY, Kim EG.	Related Articles, Links
c-Jun N-terminal kinase is involved in motility of endo Exp Mol Med. 2001 Dec 31;33(4):276-83. PMID: 11795492 [PubMed - indexed for MEDLINE]	thelial cell.
100: Takasu MA, Dalva MB, Zigmond RE, Greenberg ME.	Related Articles, Links
Modulation of NMDA receptor-dependent calcium in expression through EphB receptors. Science. 2002 Jan 18;295(5554):491-5. Epub 2001 Dec 20. PMID: 11799243 [PubMed - indexed for MEDLINE]	
101: Aoki H, Kang PM, Hampe J, Yoshimura K, Noma T, Matsuzaki M, Izumo S.	Related Articles, Links
Direct activation of mitochondrial apoptosis machiner terminal kinase in adult cardiac myocytes. J Biol Chem. 2002 Mar 22;277(12):10244-50. Epub 2002 Jan 10 PMID: 11786558 [PubMed - indexed for MEDLINE]	
102: Stadheim TA, Kucera GL.	Related Articles, Links
c-Jun N-terminal kinase/stress-activated protein kinas required for mitoxantrone- and anisomycin-induced a cells. Leuk Res. 2002 Jan;26(1):55-65. PMID: 11734304 [PubMed - indexed for MEDLINE]	
103: Imondi R, Kaprielian Z.	Related Articles, Links
Commissural axon pathfinding on the contralateral side a role for B-class ephrins in specifying the dorsoventral longitudinally projecting commissural axons. Development. 2001 Dec;128(23):4859-71. PMID: 11731465 [PubMed - indexed for MEDLINE]	de of the floor plate:
104: Takahashi T, Takahashi K, Gerety S, Wang H, Anderson DJ, Daniel TO.	Related Articles, Links
Temporally compartmentalized expression of ephringlomerular development. J Am Soc Nephrol. 2001 Dec;12(12):2673-82. PMID: 11729236 [PubMed - indexed for MEDLINE]	B2 during renal
105: Park HS, Kim MS, Huh SH, Park J, Chung J, Kang SS, Choi EJ	Related Articles, Links
Akt (protein kinase B) negatively regulates SEK1 by phosphorylation. J Biol Chem. 2002 Jan 25;277(4):2573-8. Epub 2001 Nov 13. PMID: 11707464 [PubMed - indexed for MEDLINE]	means of protein
106: Meadows GG, Zhang H, Ge X.	Related Articles, Links
Specific amino acid deficiency alters the expression of melanoma and other tumor cell lines. J Nutr. 2001 Nov;131(11 Suppl):3047S-50S. PMID: 11694646 [PubMed - indexed for MEDLINE]	of genes in human
107: Seraj MJ, Harding MA, Gildea JJ, Welch DR, Theodorescu D.	Related Articles, Links
The relationship of BRMS1 and RhoGDI2 gene exprepotential in lineage related human bladder cancer cell Clin Exp Metastasis. 2000;18(6):519-25. PMID: 11592309 [PubMed - indexed for MEDLINE]	
108: Ethell IM, Irie F, Kalo MS, Couchman JR, Pasquale EB,	Related Articles, Links

Yamaguchi Y EphB/syndecan-2 signaling in dendritic spine morphogenesis. Neuron. 2001 Sep 27;31(6):1001-13. PMID: 11580899 [PubMed - indexed for MEDLINE] 109: Lyckman AW, Jhaveri S, Feldheim DA, Vanderhaeghen P, Related Articles, Links Flanagan JG, Sur M. Enhanced plasticity of retinothalamic projections in an ephrin-A2/A5 double mutant. J Neurosci. 2001 Oct 1;21(19):7684-90. PMID: 11567058 [PubMed - indexed for MEDLINE] 110: Yoshii S, Tanaka M, Otsuki Y, Fujiyama T, Kataoka H, Arai H. Related Articles, Links Hanai H, Sugimura H Involvement of alpha-PAK-interacting exchange factor in the PAK1-c-Jun NH(2)-terminal kinase 1 activation and apoptosis induced by benzo [a]pyrene. Mol Cell Biol. 2001 Oct;21(20):6796-807. PMID: 11564864 [PubMed - indexed for MEDLINE] 111: Bae MA, Pie JE, Song BJ. Related Articles, Links Acetaminophen induces apoptosis of C6 glioma cells by activating the c-Jun NH(2)-terminal protein kinase-related cell death pathway. Mol Pharmacol. 2001 Oct;60(4):847-56. PMID: 11562448 [PubMed - indexed for MEDLINE] Related Articles, Links 112: Birgbauer E, Oster SF, Severin CG, Sretavan DW. Retinal axon growth cones respond to EphB extracellular domains as inhibitory axon guidance cues. Development. 2001 Aug; 128(15):3041-8. PMID: 11532925 [PubMed - indexed for MEDLINE] 113: Huang EJ, Liu W, Fritzsch B, Bianchi LM, Reichardt LF, Xiang Related Articles, Links Brn3a is a transcriptional regulator of soma size, target field innervation and axon pathfinding of inner ear sensory neurons. Development. 2001 Jul; 128(13):2421-32. PMID: 11493560 [PubMed - indexed for MEDLINE] 114: Zhang XQ, Takakura N, Oike Y, Inada T, Gale NW, Related Articles, Links Yancopoulos GD, Suda T. Stromal cells expressing ephrin-B2 promote the growth and sprouting of ephrin-B2(+) endothelial cells. Blood. 2001 Aug 15;98(4):1028-37. PMID: 11493448 [PubMed - indexed for MEDLINE] 115: Seo SR, Chong SA, Lee SI, Sung JY, Ahn YS, Chung KC, Seo Related Articles, Links Zn2+-induced ERK activation mediated by reactive oxygen species causes cell death in differentiated PC12 cells. J Neurochem. 2001 Aug;78(3):600-10.

116: Knoll B, Isenmann S, Kilic E, Walkenhorst J, Engel S, Wehinger Related Articles, Links J. Bahr M, Drescher U Graded expression patterns of ephrin-As in the superior colliculus after lesion of the adult mouse optic nerve. Mech Dev. 2001 Aug; 106(1-2):119-27. PMID: 11472840 [PubMed - indexed for MEDLINE]

PMID: 11483663 [PubMed - indexed for MEDLINE]

cb


□ 117:	Tang XX, Evans AE, Zhao H, Cnaan A, Brodeur GM, Ikegaki N.	Related Articles, Links
	Association among EPHB2, TrkA, and MYCN express neuroblastomas. Med Pediatr Oncol. 2001 Jan;36(1):80-2. PMID: 11464911 [PubMed - indexed for MEDLINE]	ion in low-stage
□ 118:	Bruckner SR, Tammariello SP, Kuan CY, Flavell RA, Rakic P, Estus S.	Related Articles, Links
	JNK3 contributes to c-Jun activation and apoptosis but stress in nerve growth factor-deprived sympathetic neu J Neurochem. 2001 Jul;78(2):298-303. PMID: 11461965 [PubMed - indexed for MEDLINE]	
□ 119:	Matsuzawa A, Ichijo H.	Related Articles, Links
	Molecular mechanisms of the decision between life and of apoptosis by apoptosis signal-regulating kinase 1. J Biochem (Tokyo). 2001 Jul;130(1):1-8. Review. PMID: 11432772 [PubMed - indexed for MEDLINE]	d death: regulation
120 :	Chen F, Zhang Z, Leonard SS, Shi X.	Related Articles, Links
	Contrasting roles of NF-kappaB and JNK in arsenite-ir independent expression of GADD45alpha. Oncogene. 2001 Jun 14;20(27):3585-9. PMID: 11429707 [PubMed - indexed for MEDLINE]	nduced p53-
121	Gillis D, Shrode LD, Krump E, Howard CM, Rubie EA, Tibbles LA, Woodgett J, Grinstein S.	Related Articles, Links
	Osmotic stimulation of the Na+/H+ exchanger NHE1: activation of three MAPK pathways. J Membr Biol. 2001 Jun 1;181(3):205-14. PMID: 11420607 [PubMed - indexed for MEDLINE]	relationship to the
122	Wada T, Nakagawa K, Watanabe T, Nishitai G, Seo J, Kishimoto H, Kitagawa D, Sasaki T, Penninger JM, Nishina H, Katada T.	Related Articles, Links
	Impaired synergistic activation of stress-activated protestark/JNK in mouse embryonic stem cells lacking SE different contribution of SEK2/MKK7 isoforms to the activation.	K1/MKK4:
	J Biol Chem. 2001 Aug 17;276(33):30892-7. Epub 2001 Jun 19. PMID: 11418587 [PubMed - indexed for MEDLINE]	
□ 123	Chae HJ, Kim HR, Kwak YG, Ko JK, Joo CU, Chae SW.	Related Articles, Links
	Signal transduction of nitric oxide donor-induced prote peroxide-mediated apoptosis in H9C2 cardiomyoblasts Immunopharmacol Immunotoxicol. 2001 May;23(2):187-204. PMID: 11417847 [PubMed - indexed for MEDLINE]	
□ 124	Bovenkamp DE, Greer PA.	Related Articles, Links
######################################	Degenerate PCR-based cloning method for Eph recept their expression in the developing murine central nerve vasculature. DNA Cell Biol. 2001 Apr;20(4):203-13. PMID: 11403717 [PubMed - indexed for MEDLINE]	
□ 125	: Marin O, Blanco MJ, Nieto MA.	Related Articles, Links
	Differential expression of Eph receptors and ephrins of formation of topographic projections in primary and secureuits of the embryonic chick forebrain.	orrelates with the econdary visual

Dev Biol. 2001 Jun 15;234(2):289-303. PMID: 11397000 [PubMed - indexed for MEDLINE] 126: Hamazaki T, Iiboshi Y, Oka M, Papst PJ, Meacham AM, Zon LL. Related Articles, Links Terada N Hepatic maturation in differentiating embryonic stem cells in vitro. FEBS Lett. 2001 May 18;497(1):15-9. PMID: 11376655 [PubMed - indexed for MEDLINE] 127: Morino K, Maegawa H, Fujita T, Takahara N, Egawa K, Related Articles, Links Kashiwagi A, Kikkawa R Insulin-induced c-Jun N-terminal kinase activation is negatively regulated by protein kinase C delta. Endocrinology. 2001 Jun;142(6):2669-76. PMID: 11356718 [PubMed - indexed for MEDLINE] 128: Shamah SM, Lin MZ, Goldberg JL, Estrach S, Sahin M, Hu L, Related Articles, Links Bazalakova M, Neve RL, Corfas G, Debant A, Greenberg ME. EphA receptors regulate growth cone dynamics through the novel guanine nucleotide exchange factor ephexin. Cell. 2001 Apr 20;105(2):233-44. PMID: 11336673 [PubMed - indexed for MEDLINE] 129: Miao H, Wei BR, Peehl DM, Li Q, Alexandrou T, Schelling JR. Related Articles, Links Rhim JS. Sedor JR, Burnett E, Wang B. Activation of EphA receptor tyrosine kinase inhibits the Ras/MAPK pathway. Nat Cell Biol. 2001 May:3(5):527-30. PMID: 11331884 [PubMed - indexed for MEDLINE] 130: Bozyczko-Coyne D, O'Kane TM, Wu ZL, Dobrzanski P, Murthy Related Articles, Links S. Vaught JL, Scott RW. CEP-1347/KT-7515, an inhibitor of SAPK/JNK pathway activation, promotes survival and blocks multiple events associated with Abetainduced cortical neuron apoptosis. J Neurochem. 2001 May;77(3):849-63. PMID: 11331414 [PubMed - indexed for MEDLINE] Related Articles, Links 131: Chen YR, Shriyastaya A, Tan TH. Down-regulation of the c-Jun N-terminal kinase (JNK) phosphatase M3/6 and activation of JNK by hydrogen peroxide and pyrrolidine dithiocarbamate. Oncogene. 2001 Jan 18;20(3):367-74. PMID: 11313966 [PubMed - indexed for MEDLINE] 132: Kunz M, Ibrahim S, Koczan D, Thiesen HJ, Kohler HJ, Acker T, Related Articles, Links Plate KH, Ludwig S, Rapp UR, Brocker EB, van Muijen GN, Flory E, Gross G. Activation of c-Jun NH2-terminal kinase/stress-activated protein kinase (JNK/SAPK) is critical for hypoxia-induced apoptosis of human malignant melanoma. Cell Growth Differ. 2001 Mar; 12(3):137-45. PMID: 11306514 [PubMed - indexed for MEDLINE] 133: Song BJ, Soh Y, Bae M, Pie J, Wan J, Jeong K. Related Articles, Links Apoptosis of PC12 cells by 4-hydroxy-2-nonenal is mediated through selective activation of the c-Jun N-terminal protein kinase pathway.

Chem Biol Interact. 2001 Jan 30;130-132(1-3):943-54. PMID: 11306108 [PubMed - indexed for MEDLINE]

Related Articles, Links 134: Lu Q, Sun EE, Klein RS, Flanagan JG. Ephrin-B reverse signaling is mediated by a novel PDZ-RGS protein and selectively inhibits G protein-coupled chemoattraction. Cell. 2001 Apr 6;105(1):69-79. PMID: 11301003 [PubMed - indexed for MEDLINE] 135: Amold R, Liou J. Drexler HC, Weiss A, Kiefer F. Related Articles, Links Caspase-mediated cleavage of hematopoietic progenitor kinase 1 (HPK1) converts an activator of NFkappaB into an inhibitor of NFkappaB. J Biol Chem. 2001 May 4;276(18):14675-84. Epub 2001 Jan 29. PMID: 11278403 [PubMed - indexed for MEDLINE] 136: Soh JW. Mao Y. Liu L. Thompson WJ. Pamukcu R. Weinstein Related Articles, Links IB. Protein kinase G activates the JNK1 pathway via phosphorylation of MEKK1. J Biol Chem. 2001 May 11;276(19):16406-10. Epub 2001 Mar 14. PMID: 11278263 [PubMed - indexed for MEDLINE] 137: Sawada Y, Nakamura K, Doi K, Takeda K, Tobiume K, Saitoh Related Articles, Links M, Morita K, Komuro I, De Vos K, Sheetz M, Ichijo H. Rap1 is involved in cell stretching modulation of p38 but not ERK or JNK MAP kinase. J Cell Sci. 2001 Mar;114(Pt 6):1221-7. PMID: 11228165 [PubMed - indexed for MEDLINE] 138: Knoll B, Zarbalis K, Wurst W, Drescher U. Related Articles, Links A role for the EphA family in the topographic targeting of vomeronasal Development. 2001 Mar;128(6):895-906. PMID: 11222144 [PubMed - indexed for MEDLINE] 139: Jeon SH, Kim YS, Bae CD, Park JB. Related Articles, Links Activation of JNK and p38 in rat hippocampus after kainic acid induced seizure. Exp Mol Med. 2000 Dec 31;32(4):227-30. PMID: 11190275 [PubMed - indexed for MEDLINE] 140: Sestan N, Rakic P, Donoghue MJ. Related Articles, Links Independent parcellation of the embryonic visual cortex and thalamus revealed by combinatorial Eph/ephrin gene expression. Curr Biol. 2001 Jan 9;11(1):39-43. PMID: 11166178 [PubMed - indexed for MEDLINE] 141: Ikeda A, Masaki M, Kozutsumi Y, Oka S, Kawasaki T. Related Articles, Links Identification and characterization of functional domains in a mixed lineage kinase LZK. FEBS Lett. 2001 Jan 19;488(3):190-5. PMID: 11163770 [PubMed - indexed for MEDLINE] 142: Menzel P, Valencia F, Godement P, Dodelet VC, Pasquale EB. Related Articles, Links Ephrin-A6, a new ligand for EphA receptors in the developing visual Dev Biol. 2001 Feb 1;230(1):74-88. PMID: 11161563 [PubMed - indexed for MEDLINE] 143: Park HS, Lee JS, Huh SH, Seo JS, Choi EJ. Related Articles, Links Hsp72 functions as a natural inhibitory protein of c-Jun N-terminal

Page 17 of 35



The EphA4 receptor tyrosine kinase is necessary for the guidance of nasal

150: Paasinen-Sohns A, Kielosto M, Kaariainen E, Eloranta T, Laine Related Articles, Links



paradoxically by overexpression or block of S-adenosylmethionine decarboxylase.

J Cell Biol. 2000 Nov 13;151(4):801-10.

PMID: 11076965 [PubMed - indexed for MEDLINE]

151: Soh JW. Mao Y, Kim MG, Pamukcu R, Li H, Piazza GA, Related Articles, Links Thompson WJ, Weinstein IB.



Cyclic GMP mediates apoptosis induced by sulindac derivatives via activation of c-Jun NH2-terminal kinase 1.

Clin Cancer Res. 2000 Oct;6(10):4136-41. Erratum in: Clin Cancer Res 2000 Dec;6 (12):4967.

PMID: 11051267 [PubMed - indexed for MEDLINE]

152: Sayama K, Hanakawa Y, Shirakata Y, Yamasaki K, Sawada Y, Related Articles, Links Sun L, Yamanishi K, Ichijo H, Hashimoto K



Apoptosis signal-regulating kinase 1 (ASK1) is an intracellular inducer of keratinocyte differentiation.

J Biol Chem. 2001 Jan 12;276(2):999-1004.

PMID: 11029458 [PubMed - indexed for MEDLINE]

153: Gabai VL, Meriin AB, Yaglom JA, Wei JY, Mosser DD, Sherman MY

Related Articles, Links




Suppression of stress kinase JNK is involved in HSP72-mediated protection of myogenic cells from transient energy deprivation. HSP72 alleviates the stewss-induced inhibition of JNK dephosphorylation.

J Biol Chem. 2000 Dec 1;275(48):38088-94.

PMID: 10978340 [PubMed - indexed for MEDLINE]

154: Igarashi M, Yamaguchi H, Hirata A, Daimon M, Tominaga M, Kato T. Related Articles, Links



PMID: 10964158 [PubMed - indexed for MEDLINE]

155: Soh Y, Jeong KS, Lee IJ, Bae MA, Kim YC, Song BJ.

Related Articles, Links



Selective activation of the c-Jun N-terminal protein kinase pathway during 4-hydroxynonenal-induced apoptosis of PC12 cells.

Mol Pharmacol. 2000 Sep;58(3):535-41.

PMID: 10953046 [PubMed - indexed for MEDLINE]

156: Lee HY, Suh YA, Robinson MJ, Clifford JL, Hong WK, Woodgett JR, Cobb MH, Mangelsdorf DJ, Kurie JM

Related Articles, Links



Stress pathway activation induces phosphorylation of retinoid X receptor. J Biol Chem. 2000 Oct 13;275(41):32193-9.

PMID: 10938283 [PubMed - indexed for MEDLINE]

157: Saporito MS, Thomas BA, Scott RW.

Related Articles, Links



MPTP activates c-Jun NH(2)-terminal kinase (JNK) and its upstream regulatory kinase MKK4 in nigrostriatal neurons in vivo.

J Neurochem. 2000 Sep;75(3):1200-8.

PMID: 10936203 [PubMed - indexed for MEDLINE]

158: Brown A, Yates PA, Burrola P, Ortuno D, Vaidya A, Jessell TM. Related Articles, Links Pfaff SL, O'Leary DD, Lemke G.



Topographic mapping from the retina to the midbrain is controlled by relative but not absolute levels of EphA receptor signaling.

Cell. 2000 Jul 7;102(1):77-88.

PMID: 10929715 [PubMed - indexed for MEDLINE]

159: Hirota Y, Tsukazaki T, Yonekura A, Miyazaki Y, Osaki M, Shindo H, Yamashita S

Related Articles, Links



Activation of specific MEK-ERK cascade is necessary for TGFbeta signaling and crosstalk with PKA and PKC pathways in cultured rat articular chondrocytes.

Osteoarthritis Cartilage. 2000 Jul;8(4):241-7.

PMID: 10903877 [PubMed - indexed for MEDLINE]

160: Yoshida K. Weichselbaum R, Kharbanda S, Kufe D.

Related Articles, Links



Role for Lyn tyrosine kinase as a regulator of stress-activated protein kinase activity in response to DNA damage.

Mol Cell Biol. 2000 Aug;20(15):5370-80.

PMID: 10891478 [PubMed - indexed for MEDLINE]

h cb hg e e e fcg

e ch

hg e e

cb

h

□ 161: Ward NL, Hagg T.		Related Articles, Links
forebrain neuror and p75NGFR-o Eur J Neurosci. 200	e-Jun and NFKappaB are differentians during postnatal development and deficient mice. 90 Jun;12(6):1867-81. PubMed - indexed for MEDLINE]	-
162: Wilkinson DG.		Related Articles, Links
Curr Biol. 2000 Jur	apping: organising by repulsion and n 15;10(12):R447-51. Review. PubMed - indexed for MEDLINE]	competition?
163: Ding W, Templeton	n DM.	Related Articles, Links
mediated by Mk Biochem Biophys I	protein kinase-dependent induction KK7. Res Commun. 2000 Jul 5;273(2):718-22. PubMed - indexed for MEDLINE]	of c-fos by Cd(2+) is
Kumar V, Bharti A	ley P, Yamauchi T, Kumar S, Kaneki M, , Yuan ZM, Ghanem L, Rana A, lohnson G, Kufe D.	Related Articles, Links
response to DNA Mol Cell Biol. 2000	EK kinase 1 by the c-Abl protein ty A damage. 0 Jul;20(14):4979-89. PubMed - indexed for MEDLINE]	rosine kinase in
165: Jeong J, Choi S, Gu	u C, Lee H, Park S.	Related Articles, Links
tyrosine kinase g DNA Cell Biol. 200	are and promoter analysis of the mogene. 00 May;19(5):291-300. PubMed - indexed for MEDLINE]	use EphA8 receptor
166: Maroni P. Bendine Piccoletti R.	lli P, Zuccorononno C, Schiaffonati L,	Related Articles, Links
Cell Biol Int. 2000;	ng after in vivo heat shock in the liv ;24(3):145-52. PubMed - indexed for MEDLINE]	ver.
167: Nakagawa S, Breni Holt CE.	nan C, Johnson KG, Shewan D, Harris WA	Related Articles, Links
chiasm. Neuron. 2000 Mar;	ntes the Ipsilateral routing of retinal 25(3):599-610. PubMed - indexed for MEDLINE]	axons at the optic
168: Huang Y, Hutter D Holbrook NJ.	Liu Y, Wang X, Sheikh MS, Chan AM,	Related Articles, Links
death of A549 c activities. J Biol Chem. 2000	rowth factor-beta 1 suppresses serumells through differential effects on community Jun 16;275(24):18234-42. PubMed - indexed for MEDLINE]	
169: Wilkinson DG.		Related Articles, Links
Int Rev Cytol. 2000	nd ephrins: regulators of guidance a 0;196:177-244. Review. PubMed - indexed for MEDLINE]	nd assembly.
170: Gerlai R, McNama	ra A.	Related Articles, Links

e fcg e ch b e

cb

hg e e

	Anesthesia induced retrograde amnesia is ameliorated by mice: EphA receptor tyrosine kinases are involved in memory. Behav Brain Res. 2000 Mar;108(2):133-43. PMID: 10701657 [PubMed - indexed for MEDLINE]	
□ 171:	Koblar SA, Krull CE, Pasquale EB, McLennan R, Peale FD, Cerretti DP, Bothwell M.	Related Articles, Links
	Spinal motor axons and neural crest cells use different of for segmental migration through the rostral half-somite J Neurobiol. 2000 Mar;42(4):437-47. PMID: 10699981 [PubMed - indexed for MEDLINE]	
□ 172:	Birgbauer E. Cowan CA, Sretavan DW, Henkemeyer M.	Related Articles, Links
	Kinase independent function of EphB receptors in retin pathfinding to the optic disc from dorsal but not ventral Development. 2000 Mar;127(6):1231-41. PMID: 10683176 [PubMed - indexed for MEDLINE]	
□ 173:	<u>Iwamasa H, Ohta K, Yamada T, Ushijima K, Terasaki H, Tanaka H.</u>	Related Articles, Links
	Expression of Eph receptor tyrosine kinases and their li embryonic motor neurons and hindlimb muscles. Dev Growth Differ. 1999 Dec;41(6):685-98. PMID: 10646798 [PubMed - indexed for MEDLINE]	gands in chick
□ 174:	Stadheim TA, Saluta GR, Kucera GL.	Related Articles, Links
	Role of c-Jun N-terminal kinase/p38 stress signaling in arabinofuranosylcytosine-induced apoptosis. Biochem Pharmacol. 2000 Feb 15;59(4):407-18. PMID: 10644049 [PubMed - indexed for MEDLINE]	1-beta-D-
□ 175:	Yasuda S, Inoue K, Hirabayashi M, Higashiyama H, Yamamoto Y, Fuyuhiro H, Komure O, Tanaka F, Sobue G, Tsuchiya K, Hamada K, Sasaki H, Takeda K, Ichijo H, Kakizuka A.	Related Articles, Links
	Triggering of neuronal cell death by accumulation of ac nuclear polyglutamine aggregations in PML bodies. Genes Cells. 1999 Dec;4(12):743-56. PMID: 10620019 [PubMed - indexed for MEDLINE]	ctivated SEK1 on
□ 176:	Iordanov MS, Paranjape JM, Zhou A, Wong J, Williams BR, Meurs EF, Silverman RH, Magun BE	Related Articles, Links
	Activation of p38 mitogen-activated protein kinase and terminal kinase by double-stranded RNA and encephaloinvolvement of RNase L, protein kinase R, and alternat Mol Cell Biol. 2000 Jan;20(2):617-27. PMID: 10611240 [PubMed - indexed for MEDLINE]	omyocarditis virus:
□ 177:	Helbling PM, Saulnier DM, Brandli AW.	Related Articles, Links
	The receptor tyrosine kinase EphB4 and ephrin-B ligan angiogenic growth of embryonic veins in Xenopus laev Development. 2000 Jan;127(2):269-78. PMID: 10603345 [PubMed - indexed for MEDLINE]	
□ 178:	Kieran MW, Katz S, Vail B, Zon LI, Mayer BJ.	Related Articles, Links
	Concentration-dependent positive and negative regulati kinase by a MAP kinase kinase. Oncogene. 1999 Nov 18;18(48):6647-57. PMID: 10597270 [PubMed - indexed for MEDLINE]	on of a MAP

e fcg e ch

ch

e e

h g

e fcg

e ch

b e

179: Choi JY, Woo SD, Je YH, Kang SK. Related Articles, Links Development of a novel expression vector system using Spodoptera \blacksquare exigua nucleopolyhedrovirus. Mol Cells. 1999 Oct 31:9(5):504-9. PMID: 10597039 [PubMed - indexed for MEDLINE] 180: Yoshida BA, Dubauskas Z, Chekmareva MA, Christiano TR, Related Articles, Links Stadler WM, Rinker-Schaeffer CW. Mitogen-activated protein kinase kinase 4/stress-activated protein/Erk kinase 1 (MKK4/SEK1), a prostate cancer metastasis suppressor gene encoded by human chromosome 17. Cancer Res. 1999 Nov 1;59(21):5483-7. PMID: 10554023 [PubMed - indexed for MEDLINE] 181: Guan Z, Buckman SY, Springer LD, Morrison AR. Related Articles, Links Both p38alpha(MAPK) and JNK/SAPK pathways are important for induction of nitric-oxide synthase by interleukin-1beta in rat glomerular mesangial cells. J Biol Chem. 1999 Dec 17;274(51):36200-6. PMID: 10593906 [PubMed - indexed for MEDLINE] 182: Kalo MS. Pasquale EB. Related Articles, Links Multiple in vivo tyrosine phosphorylation sites in EphB receptors. Biochemistry. 1999 Oct 26;38(43):14396-408. PMID: 10572014 [PubMed - indexed for MEDLINE] 183: Gerlai R, Shinsky N, Shih A, Williams P, Winer J, Armanini M, Related Articles, Links Cairns B, Winslow J, Gao W, Phillips HS Regulation of learning by EphA receptors: a protein targeting study. J Neurosci. 1999 Nov 1;19(21):9538-49. PMID: 10531456 [PubMed - indexed for MEDLINE] 184: Procyk KJ, Rippo MR, Testi R, Hoffmann F, Parker PJ, Baccarini Related Articles, Links <u>M.</u> Distinct mechanisms target stress and extracellular signal-activated kinase 1 and Jun N-terminal kinase during infection of macrophages with Salmonella. J Immunol. 1999 Nov 1;163(9):4924-30. PMID: 10528195 [PubMed - indexed for MEDLINE] 185: Li S. Wattenberg EV. Related Articles, Links Cell-type-specific activation of p38 protein kinase cascades by the novel tumor promoter palytoxin. Toxicol Appl Pharmacol. 1999 Oct 15;160(2):109-19. PMID: 10527909 [PubMed - indexed for MEDLINE] 186: Ito M, Yoshioka K, Akechi M, Yamashita S, Takamatsu N, Related Articles, Links Sugiyama K, Hibi M, Nakabeppu Y, Shiba T, Yamamoto KI JSAP1, a novel jun N-terminal protein kinase (JNK)-binding protein that functions as a Scaffold factor in the JNK signaling pathway. Mol Cell Biol. 1999 Nov;19(11):7539-48. PMID: 10523642 [PubMed - indexed for MEDLINE] 187: Gerety SS, Wang HU, Chen ZF, Anderson DJ. Related Articles, Links Symmetrical mutant phenotypes of the receptor EphB4 and its specific transmembrane ligand ephrin-B2 in cardiovascular development. Mol Cell. 1999 Sep;4(3):403-14. PMID: 10518221 [PubMed - indexed for MEDLINE]

□ 188:	Donoghue MJ, Rakic P.	Related Articles, Links
	Molecular gradients and compartments in the embryon cortex.	ic primate cerebral
	Cereb Cortex. 1999 Sep;9(6):586-600. PMID: 10498277 [PubMed - indexed for MEDLINE]	
□ 189:	Rogers JH, Ciossek T, Menzel P, Pasquale EB.	Related Articles, Links
	Eph receptors and ephrins demarcate cerebellar lobules their formation. Mech Dev. 1999 Sep;87(1-2):119-28. PMID: 10495276 [PubMed - indexed for MEDLINE]	before and during
□ 190:	Vasilevskaya IA, O'Dwyer PJ.	Related Articles, Links
	Effects of geldanamycin on signaling through activator hypoxic HT29 human colon adenocarcinoma cells. Cancer Res. 1999 Aug 15;59(16):3935-40. PMID: 10463587 [PubMed - indexed for MEDLINE]	-protein 1 in
□191:	Kim SH, Kim D, Jung GS, Um JH, Chung BS, Kang CD.	Related Articles, Links
	Involvement of c-Jun NH(2)-terminal kinase pathway i regulation of heat shock proteins by anticancer drugs. Biochem Biophys Res Commun. 1999 Aug 27;262(2):516-22. PMID: 10462506 [PubMed - indexed for MEDLINE]	n differential
□ 192:	Miyashita-Lin EM, Hevner R, Wassarman KM, Martinez S, Rubenstein JL.	Related Articles, Links
	Early neocortical regionalization in the absence of thal Science. 1999 Aug 6;285(5429):906-9. PMID: 10436162 [PubMed - indexed for MEDLINE]	amic innervation.
□ 193:	Gozal E, Simakajornboon N, Dausman JD, Xue YD, Corti M, El- Dahr SS, Gozal D.	Related Articles, Links
	Hypoxia induces selective SAPK/JNK-2-AP-1 pathway nucleus tractus solitarii of the conscious rat. J Neurochem. 1999 Aug;73(2):665-74. PMID: 10428063 [PubMed - indexed for MEDLINE]	y activation in the
194 :	Srivastava RK, Sollott SJ, Khan L, Hansford R, Lakatta EG, Longo DL.	Related Articles, Links
	Bcl-2 and Bcl-X(L) block thapsigargin-induced nitric of Jun NH(2)-terminal kinase activity, and apoptosis. Mol Cell Biol. 1999 Aug;19(8):5659-74. PMID: 10409755 [PubMed - indexed for MEDLINE]	oxide generation, c-
T 195	Donoghue MJ, Rakic P.	Related Articles, Links
	Molecular evidence for the early specification of presu domains in the embryonic primate cerebral cortex. J Neurosci. 1999 Jul 15;19(14):5967-79. PMID: 10407035 [PubMed - indexed for MEDLINE]	mptive functional
196 :	Mellitzer G, Xu Q, Wilkinson DG.	Related Articles, Links
	Eph receptors and ephrins restrict cell intermingling an Nature. 1999 Jul 1;400(6739):77-81. PMID: 10403252 [PubMed - indexed for MEDLINE]	d communication.
□ 197:	Sanchez-Perez I, Perona R.	Related Articles, Links
	Lack of c-Jun activity increases survival to cisplatin.	

PMID: 10403393 [PubMed - indexed for MEDLINE]

198: Chen F, Demers LM, Vallyathan V, Ding M, Lu Y, Castranova Related Articles, Links V, Shi X.



Vanadate induction of NF-kappaB involves IkappaB kinase beta and SAPK/ERK kinase 1 in macrophages.

J Biol Chem. 1999 Jul 16;274(29):20307-12.

PMID: 10400652 [PubMed - indexed for MEDLINE]

199: Vidovic M, Marotte LR, Mark RF.

Related Articles, Links



Marsupial retinocollicular system shows differential expression of messenger RNA encoding EphA receptors and their ligands during development.

J Neurosci Res. 1999 Jul 15;57(2):244-54.

PMID: 10398302 [PubMed - indexed for MEDLINE]

1200: Tang XX, Evans AE, Zhao H, Chaan A, London W, Cohn SL. Brodeur GM, Ikegaki N. Related Articles, Links



High-level expression of EPHB6, EFNB2, and EFNB3 is associated with low tumor stage and high TrkA expression in human neuroblastomas. Clin Cancer Res. 1999 Jun;5(6):1491-6.

PMID: 10389937 [PubMed - indexed for MEDLINE]

201: Janis LS, Cassidy RM, Kromer LF.

Related Articles, Links



Ephrin-A binding and EphA receptor expression delineate the matrix compartment of the striatum.

J Neurosci. 1999 Jun 15;19(12):4962-71.

PMID: 10366629 [PubMed - indexed for MEDLINE]

202: Scully AL, McKeown M, Thomas JB.

Related Articles, Links



Isolation and characterization of Dek, a Drosophila eph receptor protein tyrosine kinase.

Mol Cell Neurosci. 1999 May;13(5):337-47.

PMID: 10356296 [PubMed - indexed for MEDLINE]

1 203: Okumura K, Shirasawa S, Nishioka M, Sasazuki T.

Related Articles, Links



Activated Ki-Ras suppresses 12-O-tetradecanoylphorbol-13-acetate-induced activation of the c-Jun NH2-terminal kinase pathway in human colon cancer cells.

Cancer Res. 1999 May 15;59(10):2445-50.

PMID: 10344756 [PubMed - indexed for MEDLINE]

204: Page K, Li J, Hershenson MB.

Related Articles, Links



Platelet-derived growth factor stimulation of mitogen-activated protein kinases and cyclin D1 promoter activity in cultured airway smoothmuscle cells. Role of Ras.

Am J Respir Cell Mol Biol. 1999 Jun;20(6):1294-302.

PMID: 10340949 [PubMed - indexed for MEDLINE]

1 205: Hornberger MR, Dutting D, Ciossek T, Yamada T, Handwerker C, Lang S, Weth F, Huf J, Wessel R, Logan C, Tanaka H, Drescher U.




Modulation of EphA receptor function by coexpressed ephrinA ligands on retinal ganglion cell axons.

Neuron, 1999 Apr;22(4):731-42.

PMID: 10230793 [PubMed - indexed for MEDLINE]

206: McLaughlin T, O'Leary DD.

Related Articles, Links



215: Bianchi LM, Liu H. Related Articles, Links Comparison of ephrin-A ligand and EphA receptor distribution in the developing inner ear. Anat Rec. 1999 Jan; 254(1):127-34. PMID: 9892426 [PubMed - indexed for MEDLINE] 216: Phelan DR, Loveland KL, Devereux L, Dorow DS. Related Articles, Links Expression of mixed lineage kinase 2 in germ cells of the testis. Mol Reprod Dev. 1999 Feb;52(2):135-40. PMID: 9890743 [PubMed - indexed for MEDLINE] 217: Ling P, Yao Z, Meyer CF, Wang XS, Ochrl W, Feller SM, Tan Related Articles, Links <u>TH.</u> Interaction of hematopoietic progenitor kinase 1 with adapter proteins Crk and CrkL leads to synergistic activation of c-Jun N-terminal kinase. Mol Cell Biol. 1999 Feb; 19(2):1359-68. PMID: 9891069 [PubMed - indexed for MEDLINE] Related Articles, Links 218: Soh JW. Lee EH, Prywes R, Weinstein IB. Novel roles of specific isoforms of protein kinase C in activation of the cfos serum response element. Mol Cell Biol. 1999 Feb; 19(2):1313-24. PMID: 9891065 [PubMed - indexed for MEDLINE] 1219: Nishina H. Vaz C, Billia P. Nghiem M, Sasaki T, De la Pompa Related Articles, Links JL, Furlonger K, Paige C, Hui C, Fischer KD, Kishimoto H, Iwatsubo T, Katada T, Woodgett JR, Penninger JM. Defective liver formation and liver cell apoptosis in mice lacking the stress signaling kinase SEK1/MKK4. Development. 1999 Feb; 126(3):505-16. PMID: 9876179 [PubMed - indexed for MEDLINE] 220: Helbling PM, Tran CT, Brandli AW. Related Articles, Links Requirement for EphA receptor signaling in the segregation of Xenopus third and fourth arch neural crest cells. Mech Dev. 1998 Nov;78(1-2):63-79. PMID: 9858686 [PubMed - indexed for MEDLINE] 221: Kaneki M. Kharbanda S. Pandey P. Yoshida K. Takekawa M. Related Articles, Links Liou JR, Stone R, Kufe D. Functional role for protein kinase Cbeta as a regulator of stress-activated protein kinase activation and monocytic differentiation of myeloid leukemia cells. Mol Cell Biol. 1999 Jan; 19(1):461-70. PMID: 9858570 [PubMed - indexed for MEDLINE] 1222: Dottori M, Hartley L, Galea M, Paxinos G, Polizzotto M, Related Articles, Links Kilpatrick T, Bartlett PF, Murphy M, Kontgen F, Boyd AW. EphA4 (Sek1) receptor tyrosine kinase is required for the development of the corticospinal tract. Proc Natl Acad Sci U S A. 1998 Oct 27;95(22):13248-53. PMID: 9789074 [PubMed - indexed for MEDLINE] 223: McPherson JP, Goldenberg GJ. Related Articles, Links Induction of apoptosis by deregulated expression of DNA topoisomerase Halpha. Cancer Res. 1998 Oct 15;58(20):4519-24. PMID: 9788593 [PubMed - indexed for MEDLINE]

224: Liu YF. Related Articles, Links Expression of polyglutamine-expanded Huntingtin activates the SEK1-JNK pathway and induces apoptosis in a hippocampal neuronal cell line. J Biol Chem. 1998 Oct 30;273(44):28873-7. PMID: 9786889 [PubMed - indexed for MEDLINE] 225: Guan Z, Buckman SY, Miller BW, Springer LD, Morrison AR. Related Articles, Links Interleukin-1beta-induced cyclooxygenase-2 expression requires activation of both c-Jun NH2-terminal kinase and p38 MAPK signal pathways in rat renal mesangial cells. J Biol Chem. 1998 Oct 30;273(44):28670-6. PMID: 9786861 [PubMed - indexed for MEDLINE] Related Articles, Links **226:** Haq R, Zanke B. Inhibition of apoptotic signaling pathways in cancer cells as a mechanism of chemotherapy resistance. Cancer Metastasis Rev. 1998 Jun;17(2):233-9. Review. PMID: 9770120 [PubMed - indexed for MEDLINE] 227: Widegren U, Jiang XJ, Krook A, Chibalin AV, Bjornholm M, Related Articles, Links Tally M, Roth RA, Henriksson J, Wallberg-henriksson H, Zierath JR. Divergent effects of exercise on metabolic and mitogenic signaling pathways in human skeletal muscle. FASEB J. 1998 Oct; 12(13):1379-89. PMID: 9761781 [PubMed - indexed for MEDLINE] 1 228: Nishina H, Radvanyi L, Raju K, Sasaki T, Kozieradzki I, Related Articles, Links Penninger JM. Impaired TCR-mediated apoptosis and Bcl-XL expression in T cells lacking the stress kinase activator SEK1/MKK4. J Immunol. 1998 Oct 1;161(7):3416-20. PMID: 9759859 [PubMed - indexed for MEDLINE] Related Articles, Links 229: Hirata Y, Adachi K, Kiuchi K. Activation of JNK pathway and induction of apoptosis by manganese in PC12 cells. J Neurochem. 1998 Oct;71(4):1607-15. PMID: 9751194 [PubMed - indexed for MEDLINE] 230: Ciossek T. Monschau B. Kremoser C. Loschinger J. Lang S. Related Articles, Links Muller BK, Bonhoeffer F, Drescher U Eph receptor-ligand interactions are necessary for guidance of retinal ganglion cell axons in vitro. Eur J Neurosci. 1998 May; 10(5):1574-80. PMID: 9751130 [PubMed - indexed for MEDLINE] 231: Luo Y, Kokkonen GC, Wang X, Neve KA, Roth GS. Related Articles, Links D2 dopamine receptors stimulate mitogenesis through pertussis toxinsensitive G proteins and Ras-involved ERK and SAP/JNK pathways in rat C6-D2L glioma cells. J Neurochem. 1998 Sep;71(3):980-90. PMID: 9721723 [PubMed - indexed for MEDLINE] 232: Avraham A, Jung S, Samuels Y, Seger R, Ben-Neriah Y. Related Articles, Links Co-stimulation-dependent activation of a JNK-kinase in T lymphocytes. Eur J Immunol. 1998 Aug;28(8):2320-30. PMID: 9710210 [PubMed - indexed for MEDLINE]

233: Kawakami Y, Hartman SE, Holland PM, Cooper JA, Kawakami Related Articles, Links Multiple signaling pathways for the activation of JNK in mast cells: involvement of Bruton's tyrosine kinase, protein kinase C, and JNK kinases, SEK1 and MKK7. J Immunol. 1998 Aug 15;161(4):1795-802. PMID: 9712046 [PubMed - indexed for MEDLINE] 234: Li S, Wattenberg EV. Related Articles, Links Differential activation of mitogen-activated protein kinases by palytoxin and ouabain, two ligands for the Na+,K+-ATPase. Toxicol Appl Pharmacol. 1998 Aug;151(2):377-84. PMID: 9707514 [PubMed - indexed for MEDLINE] 235: Takekawa M, Maeda T, Saito H. Related Articles, Links Protein phosphatase 2Calpha inhibits the human stress-responsive p38 and JNK MAPK pathways. EMBO J. 1998 Aug 17;17(16):4744-52. PMID: 9707433 [PubMed - indexed for MEDLINE] 236: Leppa S, Saffrich R, Ansorge W, Bohmann D. Related Articles, Links Differential regulation of c-Jun by ERK and JNK during PC12 cell differentiation. EMBO J. 1998 Aug 3;17(15):4404-13. PMID: 9687508 [PubMed - indexed for MEDLINE] 237: Chen YR, Tan TH. Related Articles, Links Inhibition of the c-Jun N-terminal kinase (JNK) signaling pathway by curcumin. Oncogene. 1998 Jul 16;17(2):173-8. PMID: 9674701 [PubMed - indexed for MEDLINE] 238: Yang J, New L, Jiang Y, Han J, Su B. Related Articles, Links Molecular cloning and characterization of a human protein kinase that specifically activates c-Jun N-terminal kinase. Gene. 1998 May 28;212(1):95-102. PMID: 9661668 [PubMed - indexed for MEDLINE] 239: Zanke BW, Lee C, Arab S, Tannock IF. Related Articles, Links Death of tumor cells after intracellular acidification is dependent on stress-activated protein kinases (SAPK/JNK) pathway activation and cannot be inhibited by Bcl-2 expression or interleukin 1beta-converting enzyme inhibition. Cancer Res. 1998 Jul 1;58(13):2801-8. PMID: 9661894 [PubMed - indexed for MEDLINE] 240: So HS. Park RK, Kim MS, Lee SR, Jung BH, Chung SY, Jun Related Articles, Links CD, Chung HT. Nitric oxide inhibits c-Jun N-terminal kinase 2 (JNK2) via S-≡ nitrosylation. Biochem Biophys Res Commun. 1998 Jun 29;247(3):809-13. PMID: 9647775 [PubMed - indexed for MEDLINE] 241: Ganiatsas S, Kwee L, Fujiwara Y, Perkins A, Ikeda T, Labow Related Articles, Links MA, Zon L1 SEK1 deficiency reveals mitogen-activated protein kinase cascade crossregulation and leads to abnormal hepatogenesis. Proc Natl Acad Sci U S A. 1998 Jun 9;95(12):6881-6.

h

cb

h g

e fcg

e ch

PMID: 9618507 [PubMed - indexed for MEDLINE]

242: Swat W, Fujikawa K, Ganiatsas S, Yang D, Xavier RJ, Harris
NL, Davidson L, Ferrini R, Davis RJ, Labow MA, Flavell RA,
Zon LI, Alt FW.

SEK1/MKK4 is required for maintenance of a normal peripheral lymphoid compartment but not for lymphocyte development. Immunity. 1998 May;8(5):625-34. PMID: 9620683 [PubMed - indexed for MEDLINE]

T 243: Hata D, Kitaura J, Hartman SE, Kawakami Y, Yokota T, Kawakami T. Related Articles, Links

Bruton's tyrosine kinase-mediated interleukin-2 gene activation in mast cells. Dependence on the c-Jun N-terminal kinase activation pathway. J Biol Chem. 1998 May 1;273(18):10979-87. PMID: 9556577 [PubMed - indexed for MEDLINE]

T 244: Guan Z, Buckman SY, Pentland AP, Templeton DJ, Morrison Related Articles, Links

Induction of cyclooxygenase-2 by the activated MEKK1 --> SEK1/MKK4 --> p38 mitogen-activated protein kinase pathway. J Biol Chem. 1998 May 22;273(21):12901-8. PMID: 9582321 [PubMed - indexed for MEDLINE]

1 245: Deak JC, Cross JV, Lewis M, Qian Y, Parrott LA, Distelhorst CW, Templeton DJ.

Related Articles, Links

Fas-induced proteolytic activation and intracellular redistribution of the stress-signaling kinase MEKK1.

Proc Natl Acad Sci U S A. 1998 May 12;95(10):5595-600. PMID: 9576928 [PubMed - indexed for MEDLINE]

1 246: Kita Y, Kimura KD, Kobayashi M, Ihara S, Kaibuchi K, Kuroda Related Articles, Links S, Ui M, Iba H, Konishi H, Kikkawa U, Nagata S, Fukui Y.

Microinjection of activated phosphatidylinositol-3 kinase induces process outgrowth in rat PC12 cells through the Rac-JNK signal transduction pathway

J Cell Sci. 1998 Apr;111 (Pt 7):907-15.
PMID: 9490635 [PubMed - indexed for MEDLINE]

☐ 247: Tobiume K. Related Articles, Links

[Characterization of mouse apoptosis signal-regulating kinase 1]

Kokubyo Gakkai Zasshi. 1998 Mar;65(1):42-52. Japanese. PMID: 9584420 [PubMed - indexed for MEDLINE]

248: Wilmer WA, Cosio FG.

Related Articles, Links

DNA binding of activator protein-1 is increased in human mesangial cells cultured in high glucose concentrations.

Kidney Int. 1998 May;53(5):1172-81. PMID: 9573531 [PubMed - indexed for MEDLINE]

1 249: Hirai S. Noda K. Moriguchi T. Nishida E. Yamashita A. Deyama Related Articles, Links T. Fukuyama K. Ohno S.

Differential activation of two JNK activators, MKK7 and SEK1, by MKN28-derived nonreceptor serine/threonine kinase/mixed lineage kinase 2.

J Biol Chem. 1998 Mar 27;273(13):7406-12. PMID: 9516438 [PubMed - indexed for MEDLINE]

250: Auer KL, Contessa J, Brenz-Verca S, Pirola L, Rusconi S, Cooper G, Abo A, Wymann MP, Davis RJ, Birrer M, Dent P

h cb hg e e e fcg e ch b e



The Ras/Rac1/Cdc42/SEK/JNK/c-Jun cascade is a key pathway by which agonists stimulate DNA synthesis in primary cultures of rat hepatocytes. Mol Biol Cell. 1998 Mar;9(3):561-73.

PMID: 9487126 [PubMed - indexed for MEDLINE]

251: Reunanen N, Westermarck J, Hakkinen L, Holmstrom TH, Elo I. Related Articles, Links Eriksson JE, Kahari VM



Enhancement of fibroblast collagenase (matrix metalloproteinase-1) gene expression by ceramide is mediated by extracellular signal-regulated and stress-activated protein kinase pathways.

J Biol Chem. 1998 Feb 27;273(9):5137-45. PMID: 9478967 [PubMed - indexed for MEDLINE]

252: Wang TH, Wang HS, Ichijo H, Giannakakou P, Foster JS, Fojo Related Articles, Links T, Wimalasena J.



Microtubule-interfering agents activate c-Jun N-terminal kinase/stress-activated protein kinase through both Ras and apoptosis signal-regulating kinase pathways.

J Biol Chem. 1998 Feb 27;273(9):4928-36. PMID: 9478937 [PubMed - indexed for MEDLINE]

253: Eilers A, Whitfield J, Babij C, Rubin LL, Ham J.

Related Articles, Links



Role of the Jun kinase pathway in the regulation of c-Jun expression and apoptosis in sympathetic neurons.

J Neurosci. 1998 Mar 1;18(5):1713-24.

PMID: 9464996 [PubMed_indexed for MEDI INF

PMID: 9464996 [PubMed - indexed for MEDLINE]

254: Luo Y, Umegaki H, Wang X, Abe R, Roth GS.

Related Articles, Links



Dopamine induces apoptosis through an oxidation-involved SAPK/JNK activation pathway.

J Biol Chem. 1998 Feb 6;273(6):3756-64. PMID: 9452508 [PubMed - indexed for MEDLINE]

255: Iordanov MS, Magun BE.

Related Articles, Links



Loss of cellular K+ mimics ribotoxic stress. Inhibition of protein synthesis and activation of the stress kinases SEK1/MKK4, stress-activated protein kinase/c-Jun NH2-terminal kinase 1, and p38/HOG1 by palytoxin.

J Biol Chem. 1998 Feb 6;273(6):3528-34.
PMID: 9452478 [PubMed - indexed for MEDLINE]

256: Moriguchi T, Toyoshima F, Masuyama N, Hanafusa H, Gotoh Y, Related Articles, Links Nishida E.



A novel SAPK/JNK kinase, MKK7, stimulated by TNFalpha and cellular stresses

EMBO J. 1997 Dec 1;16(23):7045-53.

PMID: 9384583 [PubMed - indexed for MEDLINE]

257: Wu Z, Wu J, Jacinto E, Karin M.

Related Articles, Links



Molecular cloning and characterization of human JNKK2, a novel Jun NH2-terminal kinase-specific kinase.

Mol Cell Biol. 1997 Dec;17(12):7407-16.

PMID: 9372971 [PubMed - indexed for MEDLINE]

258: Khwaja A, Downward J.

Related Articles, Links



Lack of correlation between activation of Jun-NH2-terminal kinase and induction of apoptosis after detachment of epithelial cells. J Cell Biol. 1997 Nov 17;139(4):1017-23.

PMID: 9362519 [PubMed - indexed for MEDLINE]

259: Toyoshima F, Moriguchi T, Nishida E.

Related Articles, Links



Fas induces cytoplasmic apoptotic responses and activation of the MKK7-JNK/SAPK and MKK6-p38 pathways independent of CPP32-like proteases.

J Cell Biol. 1997 Nov 17;139(4):1005-15.

PMID: 9362518 [PubMed - indexed for MEDLINE]

260: Martone ME, Holash JA, Bayardo A, Pasquale EB, Ellisman Related Articles, Links MH.

Immunolocalization of the receptor tyrosine kinase EphA4 in the adult rat central nervous system.

Brain Res. 1997 Oct 17;771(2):238-50.

PMID: 9401744 [PubMed - indexed for MEDLINE]

261: Chan ED, Winston BW, Jarpe MB, Wynes MW, Riches DW. Related Articles, Links

Preferential activation of the p46 isoform of JNK/SAPK in mouse macrophages by TNF alpha.

Proc Natl Acad Sci U S A. 1997 Nov 25;94(24):13169-74. PMID: 9371818 [PubMed - indexed for MEDLINE]

262: Braisted JE, McLaughlin T, Wang HU, Friedman GC, Anderson Related Articles, Links DJ, O'leary DD.

Graded and lamina-specific distributions of ligands of EphB receptor tyrosine kinases in the developing retinotectal system.

Dev Biol. 1997 Nov 1;191(1):14-28.

PMID: 9356168 [PubMed - indexed for MEDLINE]

263: Kim H, Shim J, Han PL, Choi EJ.

Related Articles, Links

Nitric oxide modulates the c-Jun N-terminal kinase/stress-activated protein kinase activity through activating c-Jun N-terminal kinase kinase. Biochemistry. 1997 Nov 4;36(44):13677-81.

PMID: 9354637 [PubMed - indexed for MEDLINE]

264: Teng DH, Perry WL 3rd, Hogan JK, Baumgard M, Bell R, Berry Related Articles, Links S, Davis T, Frank D, Frye C, Hattier T, Hu R, Jammulapati S, Janecki T, Leavitt A, Mitchell JT, Pero R, Sexton D, Schroeder M. Su PH, Swedlund B, Kyriakis JM, Avruch J, Bartel P, Wong AK, Tavtigian SV, et al.

Human mitogen-activated protein kinase kinase 4 as a candidate tumor suppressor.

Cancer Res. 1997 Oct 1;57(19):4177-82.

PMID: 9331070 [PubMed - indexed for MEDLINE]

265: Holland PM, Suzanne M. Campbell JS, Noselli S, Cooper JA. Related Articles, Links



MKK7 is a stress-activated mitogen-activated protein kinase kinase functionally related to hemipterous.

J Biol Chem. 1997 Oct 3;272(40):24994-8. PMID: 9312105 [PubMed - indexed for MEDLINE]

266: Takekawa M, Posas F, Saito H.

Related Articles, Links

A human homolog of the yeast Ssk2/Ssk22 MAP kinase kinase kinases, MTK1, mediates stress-induced activation of the p38 and JNK pathways. EMBO J. 1997 Aug 15;16(16):4973-82.

PMID: 9305639 [PubMed - indexed for MEDLINE]

267: Kuroki DW. Minden A, Sanchez I, Wattenberg EV. Related Articles, Links

Regulation of a c-Jun amino-terminal kinase/stress-activated protein

h



kinase cascade by a sodium-dependent signal transduction pathway.

J Biol Chem. 1997 Sep 19;272(38):23905-11.

PMID: 9295340 [PubMed - indexed for MEDLINE]

1 268: Nishina H, Bachmann M, Oliveira-dos-Santos AJ, Kozieradzki I. Related Articles, Links Fischer KD, Odermatt B, Wakeham A, Shahinian A, Takimoto H, Bernstein A, Mak TW, Woodgett JR, Ohashi PS, Penninger IM



Impaired CD28-mediated interleukin 2 production and proliferation in stress kinase SAPK/ERK1 kinase (SEK1)/mitogen-activated protein kinase kinase 4 (MKK4)-deficient T lymphocytes.

J Exp Med. 1997 Sep 15;186(6):941-53.

PMID: 9294148 [PubMed - indexed for MEDLINE]

269: Wang W. Zhou G. Hu MC. Yao Z. Tan TH.

Related Articles, Links



Activation of the hematopoietic progenitor kinase-1 (HPK1)-dependent, stress-activated c-Jun N-terminal kinase (JNK) pathway by transforming growth factor beta (TGF-beta)-activated kinase (TAK1), a kinase mediator of TGF beta signal transduction.

J Biol Chem. 1997 Sep 5;272(36):22771-5.

PMID: 9278437 [PubMed - indexed for MEDLINE]

170: Diener K, Wang XS, Chen C, Meyer CF, Keesler G, Zukowski Related Articles, Links M, Tan TH, Yao Z.



Activation of the c-Jun N-terminal kinase pathway by a novel protein kinase related to human germinal center kinase.

Proc Natl Acad Sci U S A. 1997 Sep 2;94(18):9687-92. PMID: 9275185 [PubMed - indexed for MEDLINE]

271: Wilhelm D, Bender K, Knebel A, Angel P.

Related Articles, Links



The level of intracellular glutathione is a key regulator for the induction of stress-activated signal transduction pathways including Jun N-terminal protein kinases and p38 kinase by alkylating agents.

Mol Cell Biol. 1997 Aug;17(8):4792-800.

PMID: 9234735 [PubMed - indexed for MEDLINE]

272: Mizukami Y, Yoshioka K, Morimoto S, Yoshida K.

Related Articles, Links



A novel mechanism of JNK1 activation. Nuclear translocation and activation of JNK1 during ischemia and reperfusion.

J Biol Chem. 1997 Jun 27;272(26):16657-62.

PMID: 9195981 [PubMed - indexed for MEDLINE]

T 273: Hirai S, Katoh M, Terada M, Kyriakis JM, Zon LI, Rana A, Avruch J, Ohno S. Related Articles, Links



MST/MLK2, a member of the mixed lineage kinase family, directly phosphorylates and activates SEK1, an activator of c-Jun N-terminal kinase/stress-activated protein kinase.

J Biol Chem. 1997 Jun 13;272(24):15167-73.

PMID: 9182538 [PubMed - indexed for MEDLINE]

274: Bovenkamp DE, Greer P.

Related Articles, Links



Novel Eph-family receptor tyrosine kinase is widely expressed in the developing zebrafish nervous system.

Dev Dyn. 1997 Jun;209(2):166-81.

PMID: 9186052 [PubMed - indexed for MEDLINE]

T 275: Iordanov MS, Pribnow D, Magun JL, Dinh TH, Pearson JA.

Chen SL, Magun BE.

Related Articles, Links

Ribotoxic stress response: activation of the stress-activated protein kinase

cb hg e e e fcg

h

e ch



JNK1 by inhibitors of the peptidyl transferase reaction and by sequence-specific RNA damage to the alpha-sarcin/ricin loop in the 28S rRNA. Mol Cell Biol. 1997 Jun;17(6):3373-81.

PMID: 9154836 [PubMed - indexed for MEDLINE]

276: Kultz D, Garcia-Perez A, Ferraris JD, Burg MB.

Related Articles, Links



Distinct regulation of osmoprotective genes in yeast and mammals. Aldose reductase osmotic response element is induced independent of p38 and stress-activated protein kinase/Jun N-terminal kinase in rabbit kidney cells

J Biol Chem. 1997 May 16;272(20):13165-70. PMID: 9148932 [PubMed - indexed for MEDLINE]

277: Foltz IN, Schrader JW.

Related Articles, Links



Activation of the stress-activated protein kinases by multiple hematopoietic growth factors with the exception of interleukin-4. Blood. 1997 May 1;89(9):3092-6.

PMID: 9129010 [PubMed - indexed for MEDLINE]

278: Nagata Y, Nishida E, Todokoro K.

Related Articles, Links



Activation of JNK signaling pathway by erythropoietin, thrombopoietin, and interleukin-3.

Blood. 1997 Apr 15;89(8):2664-9.

PMID: 9108383 [PubMed - indexed for MEDLINE]

279: Shirakabe K. Yamaguchi K. Shibuya H. Irie K. Matsuda S. Moriguchi T. Gotoh Y. Matsumoto K. Nishida E.

Related Articles, Links



TAK1 mediates the ceramide signaling to stress-activated protein kinase/c-Jun N-terminal kinase.

J Biol Chem. 1997 Mar 28;272(13):8141-4.

PMID: 9079627 [PubMed - indexed for MEDLINE]

280: Siow YL, Kalmar GB, Sanghera JS, Tai G, Oh SS, Pelech SL.

Related Articles, Links



Identification of two essential phosphorylated threonine residues in the catalytic domain of Mekk1. Indirect activation by Pak3 and protein kinase C.

J Biol Chem. 1997 Mar 21;272(12):7586-94.

PMID: 9065412 [PubMed - indexed for MEDLINE]

281: Tanaka S, Ouchi T, Hanafusa H.

Related Articles, Links



Downstream of Crk adaptor signaling pathway: activation of Jun kinase by v-Crk through the guanine nucleotide exchange protein C3G.

Proc Natl Acad Sci U S A. 1997 Mar 18;94(6):2356-61. PMID: 9122199 [PubMed - indexed for MEDLINE]

282: Ueda T. Fujimori O. Yamada K.

Related Articles, Links



Lectin-binding glycoconjugates in the subfornical organ of the rat.

Okajimas Folia Anat Jpn. 1997 Mar;73(6):325-34. PMID: 9128064 [PubMed - indexed for MEDLINE]

1. 283: Nishina H, Fischer KD, Radvanyi L, Shahinian A, Hakem R, Rubie EA, Bernstein A, Mak TW, Woodgett JR, Penninger JM



Stress-signalling kinase Sek1 protects thymocytes from apoptosis mediated by CD95 and CD3.


Nature. 1997 Jan 23;385(6614):350-3.

PMID: 9002521 [PubMed - indexed for MEDLINE]

284: Clark GJ, Westwick JK, Der CJ.

Related Articles, Links

Entrez-PubMed Page 33 of 35



b e

h cb hg e e e fcg e ch

Genomics. 1996 Jun 15;34(3):430-2.

PMID: 8786147 [PubMed - indexed for MEDLINE]

294: Sanghera JS, Weinstein SL, Aluwalia M, Girn J, Pelech SL.

Related Articles, Links

Activation of multiple proline-directed kinases by bacterial

lipopolysaccharide in murine macrophages.

J Immunol. 1996 Jun 1;156(11):4457-65.

PMID: 8666821 [PubMed - indexed for MEDLINE]

295: Chapman SA, Bonshek RE, Stoddart RW, O'Donoghue E, Goodall K. McLeod D.

Related Articles, Links

Glycans of the trabecular meshwork in primary open angle glaucoma.

Br J Ophthalmol. 1996 May;80(5):435-44.

PMID: 8695566 [PubMed - indexed for MEDLINE]

296: Kharbanda S, Pandey P, Ren R, Mayer B, Zon L, Kufe D.

Related Articles, Links



c-Abl activation regulates induction of the SEK1/stress-activated protein kinase pathway in the cellular response to 1-beta-Darabinofuranosylcytosine.

J Biol Chem. 1995 Dec 22;270(51):30278-81.

PMID: 8530447 [PubMed - indexed for MEDLINE]

297: Chapman SA, Bonshek RE, Stoddart RW, Jones CJ, Mackenzic Related Articles, Links KR, O'Donoghue E, Mcleod D.



Glycoconjugates of the human trabecular meshwork: a lectin histochemical study.

Histochem J. 1995 Nov;27(11):869-81.

PMID: 8787965 [PubMed - indexed for MEDLINE]

298: Catling AD, Schaeffer HJ, Reuter CW, Reddy GR, Weber MJ. Related Articles, Links



A proline-rich sequence unique to MEK1 and MEK2 is required for raf binding and regulates MEK function.

Mol Cell Biol. 1995 Oct;15(10):5214-25.

PMID: 7565670 [PubMed - indexed for MEDLINE]

299: Moriguchi T. Kawasaki H. Matsuda S. Gotoh Y. Nishida E. Related Articles, Links



Evidence for multiple activators for stress-activated protein kinase/c-Jun amino-terminal kinases. Existence of novel activators.

J Biol Chem. 1995 Jun 2;270(22):12969-72.

PMID: 7768885 [PubMed - indexed for MEDLINE]

300: Yan M, Dai T, Deak JC, Kyriakis JM, Zon LI, Woodgett JR, Related Articles, Links Templeton DJ.

Activation of stress-activated protein kinase by MEKK1 phosphorylation of its activator SEK1.

Nature. 1994 Dec 22-29;372(6508):798-800.

PMID: 7997270 [PubMed - indexed for MEDLINE]

301: Sanchez I. Hughes RT, Mayer BJ, Yee K, Woodgett JR, Avruch Related Articles, Links J. Kyriakis JM, Zon LI.

Role of SAPK/ERK kinase-1 in the stress-activated pathway regulating \equiv transcription factor c-Jun.

Nature. 1994 Dec 22-29;372(6508):794-8.

PMID: 7997269 [PubMed - indexed for MEDLINE]

302: Jones CJ, Morrison CA, Stoddart RW.

Related Articles, Links



Histochemical analysis of rat testicular glycoconjugates. 1. Subsets of Nlinked saccharides in seminiferous tubules.

Histochem J. 1992 Jun;24(6):319-26.

h

cb

h g

e fcg

e ch

	PMID: 1634371 [PubMed - indexed for MEDLINE]	
□ 303:	Mann DM, Brown A, Prinja D, Davies CA, Landon M, Masters CL, Beyreuthers K.	Related Articles, Links
	An analysis of the morphology of senile plaques in Dopatients of different ages using immunocytochemical a histochemical techniques. Neuropathol Appl Neurobiol. 1989 Jul-Aug;15(4):317-29. PMID: 2528701 [PubMed - indexed for MEDLINE]	
□ 304:	Kinoshita N, Suzuki S, Matsuda Y, Taniguchi N.	Related Articles, Links
	Alpha-fetoprotein antibody-lectin enzyme immunoass sugar chains for the study of liver diseases. Clin Chim Acta. 1989 Feb 15;179(2):143-51. Erratum in: Clin Ch 30;182(2):239. PMID: 2465850 [PubMed - indexed for MEDLINE]	
□ 305:	Maguire JH, Butler TC, Dudley KH.	Related Articles, Links
	5-ethyl-5-phenylhydantoin N-glucuronide, the major u of 5-ethyl-5-phenylhydantoin (Nirvanol) in the dog. Drug Metab Dispos. 1982 Nov-Dec;10(6):595-8. PMID: 6130906 [PubMed - indexed for MEDLINE]	rinary metabolite
□ 306:	Mulch G.	Related Articles, Links
	[Comparison of the effectiveness of antivertiginous dr procedure. The effect of diazepam, dimenhydrinate an human vestibular spontaneous nystagmus (author's trataryngol Rhinol Otol (Stuttg). 1976 May;55(5):392-9. German. PMID: 135163 [PubMed - indexed for MEDLINE]	d sulpirid on the
Display	Summary Show: 500 Sort S	end to Text 💌
	Items 1-306 of 306	One page.

Write to the Help Desk

NCB! | NLM | NIH

Department of Health & Human Services
Freedom of Information Act | Disclaimer

Jan 29 2004 15:06:34

Related Articles, Links







PMC Journals Book PubMed Nucleotide Protein Genome Structure Search PubMed for Eph receptor AND central nervous system Go Clear Preview/Index Clipboard Details Limits History About Entrez ▼ Show: 500 ▼ Send to Sort Display Summary Items 1-57 of 57 One page. Text Version Related Articles, Links 1: Kaneko M. Nighorn A. Entrez PubMed Interaxonal Eph-ephrin signaling may mediate sorting of olfactory sensory Overview axons in Manduca sexta. Help | FAQ J Neurosci. 2003 Dec 17;23(37):11523-38. Tutorial New/Noteworthy PMID: 14684856 [PubMed - indexed for MEDLINE] E-Utilities Related Articles, Links 1 2: Honda H. PubMed Services Competition between retinal ganglion axons for targets under the Journals Database servomechanism model explains abnormal retinocollicular projection of Eph MeSH Database Single Citation Matcher receptor-overexpressing or ephrin-lacking mice. Batch Citation Matcher J Neurosci. 2003 Nov 12;23(32):10368-77. **Clinical Queries** PMID: 14614096 [PubMed - indexed for MEDLINE] LinkOut Cubby 3: Greferath U, Canty AJ, Messenger J, Murphy M. Related Articles, Links Developmental expression of EphA4-tyrosine kinase receptor in the mouse Related Resources Order Documents brain and spinal cord. **NLM Gateway** Mech Dev. 2002 Dec;119 Suppl 1:S231-8. TOXNET PMID: 14516691 [PubMed - in process] Consumer Health Clinical Alerts 4. Greferath U. Canty AJ, Messenger J, Murphy M. Related Articles, Links ClinicalTrials.gov PubMed Central Developmental expression of EphA4-tyrosine kinase receptor in the mouse brain and spinal cord. Privacy Policy Gene Expr Patterns. 2002 Dec;2(3-4):267-74. PMID: 12617813 [PubMed - indexed for MEDLINE] 5: Coonan JR, Bartlett PF, Galea MP. Related Articles, Links Role of EphA4 in defining the position of a motoneuron pool within the spinal cord. J Comp Neurol. 2003 Mar 24;458(1):98-111. PMID: 12577325 [PubMed - indexed for MEDLINE] Related Articles, Links 6: Liebl DJ, Morris CJ, Henkemeyer M, Parada LF. mRNA expression of ephrins and Eph receptor tyrosine kinases in the neonatal and adult mouse central nervous system. J Neurosci Res. 2003 Jan 1;71(1):7-22. PMID: 12478610 [PubMed - indexed for MEDLINE] 7: Cramer KS, Karam SD, Bothwell M, Cerretti DP, Pasquale EB, Related Articles, Links Rubel EW. Expression of EphB receptors and EphrinB ligands in the developing chick auditory brainstem. J Comp Neurol. 2002 Oct 7;452(1):51-64. PMID: 12205709 [PubMed - indexed for MEDLINE]

fcg

Wandosell F.

8: Moreno-Flores MT, Martin-Aparicio E, Avila J, Diaz-Nido J,

Ephrin-B1 promotes dendrite outgrowth on cerebellar granule neurons.

e ch

b

e

h

cb

h g

11 == 1	Nol Cell Neurosci. 2002 Jul;20(3):429-46. MID: 12139920 [PubMed - indexed for MEDLINE]	
□ 9: N	Mann F, Peuckert C, Dehner F, Zhou R, Bolz J.	Related Articles, Links
	Ephrins regulate the formation of terminal axonal arbors of levelopment of thalamocortical projections. Development. 2002 Aug; 129(16):3945-55. MID: 12135931 [PubMed - indexed for MEDLINE]	during the
□ 10:	Yue Y, Chen ZY, Gale NW, Blair-Flynn J, Hu TJ, Yue X, Cooper M, Crockett DP, Yancopoulos GD, Tessarollo L, Zhou R.	Related Articles, Links
	Mistargeting hippocampal axons by expression of a trun Proc Natl Acad Sci U S A. 2002 Aug 6;99(16):10777-82. Epub 200 PMID: 12124402 [PubMed - indexed for MEDLINE]	cated Eph receptor. 2 Jul 17.
□11:	Drescher U.	Related Articles, Links
	Eph family functions from an evolutionary perspective. Curr Opin Genet Dev. 2002 Aug;12(4):397-402. Review. PMID: 12100883 [PubMed - indexed for MEDLINE]	
□ 12:	Contractor A, Rogers C, Maron C, Henkemeyer M, Swanson GT, Heinemann SF	Related Articles, Links
	Trans-synaptic Eph receptor-ephrin signaling in hippocaLTP.	ampal mossy fiber
	Science. 2002 Jun 7;296(5574):1864-9. PMID: 12052960 [PubMed - indexed for MEDLINE]	
□ 13:	Karam SD, Dottori M, Ogawa K, Henderson JT, Boyd AW, Pasquale EB, Bothwell M.	Related Articles, Links
	EphA4 is not required for Purkinje cell compartmentation Brain Res Dev Brain Res. 2002 Apr 30;135(1-2):29-38. PMID: 11978390 [PubMed - indexed for MEDLINE]	on.
□14:	Knoll B, Drescher U.	Related Articles, Links
	Ephrin-As as receptors in topographic projections. Trends Neurosci. 2002 Mar;25(3):145-9. Review. PMID: 11852146 [PubMed - indexed for MEDLINE]	
□ 15:	Grunwald IC, Korte M, Wolfer D, Wilkinson GA, Unsicker K, Lipp HP, Bonhoeffer T, Klein R.	Related Articles, Links
	Kinase-independent requirement of EphB2 receptors in	hippocampal
V erices	synaptic plasticity. Neuron. 2001 Dec 20;32(6):1027-40. PMID: 11754835 [PubMed - indexed for MEDLINE]	
□ 16:	Zhou X, Suh J, Cerretti DP, Zhou R, DiCieco-Bloom E.	Related Articles, Links
	Ephrins stimulate neurite outgrowth during early cortical J Neurosci Res. 2001 Dec 15;66(6):1054-63. PMID: 11746437 [PubMed - indexed for MEDLINE]	al neurogenesis.
□ 17:	Yates PA, Roskies AL, McLaughlin T, O'Leary DD.	Related Articles, Links
	Topographic-specific axon branching controlled by eph event in retinotectal map development. J Neurosci. 2001 Nov 1;21(21):8548-63. PMID: 11606643 [PubMed - indexed for MEDLINE]	rin-As is the critical
□ 18:	Bovenkamp DE, Greer PA.	Related Articles, Links
	Degenerate PCR-based cloning method for Eph receptor their expression in the developing murine central nervor	


 $h \hspace{1cm} cb \hspace{1cm} h \hspace{1cm} g \hspace{1cm} e \hspace{1cm} e \hspace{1cm} fcg$

e ch

cb

h g

e fcg



b e

e ch

EB, Rubel EW. Developmental regulation of EphA4 expression in the chick auditory J Comp Neurol. 2000 Oct 16;426(2):270-8. PMID: 10982468 [PubMed - indexed for MEDLINE] 29: Drescher U. Related Articles, Links Eph receptor tyrosine kinases and their ligands in development. Ernst Schering Res Found Workshop. 2000;(29):151-64. Review. No abstract available. PMID: 10943309 [PubMed - indexed for MEDLINE] Related Articles, Links 30: Zarbalis K, Wurst W. Expression domains of murine ephrin-A5 in the pituitary and hypothalamus. Mech Dev. 2000 May;93(1-2):165-8. PMID: 10781950 [PubMed - indexed for MEDLINE] 1. 31: Marcus RC, Matthews GA, Gale NW, Yancopoulos GD, Mason Related Articles, Links CA. Axon guidance in the mouse optic chiasm: retinal neurite inhibition by ephrin "A"-expressing hypothalamic cells in vitro. Dev Biol. 2000 May 1;221(1):132-47. PMID: 10772797 [PubMed - indexed for MEDLINE] Related Articles, Links 32: Imondi R, Wideman C. Kaprielian Z. Complementary expression of transmembrane ephrins and their receptors in the mouse spinal cord: a possible role in constraining the orientation of longitudinally projecting axons. Development. 2000 Apr; 127(7):1397-410. PMID: 10704386 [PubMed - indexed for MEDLINE] 33: Niederreither K, Vermot J, Schuhbaur B, Chambon P. Dolle P. Related Articles, Links Retinoic acid synthesis and hindbrain patterning in the mouse embryo. Development. 2000 Jan;127(1):75-85. PMID: 10654602 [PubMed - indexed for MEDLINE] 134: Davy A. Gale NW, Murray EW, Klinghoffer RA, Soriano P. Related Articles, Links Feuerstein C, Robbins SM. Compartmentalized signaling by GPI-anchored ephrin-A5 requires the Fyn tyrosine kinase to regulate cellular adhesion. Genes Dev. 1999 Dec 1;13(23):3125-35. PMID: 10601038 [PubMed - indexed for MEDLINE] Related Articles, Links 35: Lumsden A. Closing in on rhombomere boundaries. Nat Cell Biol. 1999 Aug;1(4):E83-5. No abstract available. PMID: 10559925 [PubMed - indexed for MEDLINE] 136: Stein E, Savaskan NE, Ninnemann O, Nitsch R, Zhou R, Skutella Related Articles, Links A role for the Eph ligand ephrin-A3 in entorhino-hippocampal axon targeting. J Neurosci. 1999 Oct 15;19(20):8885-93. PMID: 10516308 [PubMed - indexed for MEDLINE] 37: Xu Q, Mellitzer G, Robinson V, Wilkinson DG. Related Articles, Links In vivo cell sorting in complementary segmental domains mediated by Eph

h cb hg e e e fcg

receptors and ephrins.

e ch

A

Nature. 1999 May 20;399(6733):267-71. PMID: 10353250 [PubMed - indexed for MEDLINE] Related Articles, Links **38:** Moreno-Flores MT, Wandosell F. Up-regulation of Eph tyrosine kinase receptors after excitotoxic injury in adult hippocampus. Neuroscience. 1999;91(1):193-201. PMID: 10336070 [PubMed - indexed for MEDLINE] 39: Bruckner K, Pablo Labrador J, Scheiffele P, Herb A, Seeburg PH. Related Articles, Links Klein R. EphrinB ligands recruit GRIP family PDZ adaptor proteins into raft membrane microdomains. Neuron. 1999 Mar;22(3):511-24. PMID: 10197531 [PubMed - indexed for MEDLINE] 12 40: Miranda JD, White LA, Marcillo AE, Willson CA, Jagid J. Related Articles, Links Whittemore SR. Induction of Eph B3 after spinal cord injury. Exp Neurol. 1999 Mar;156(1):218-22. PMID: 10192794 [PubMed - indexed for MEDLINE] Related Articles, Links 41: Ernst AF, Jurney WM, McLoon SC. Mechanisms involved in development of retinotectal connections: roles of Eph receptor tyrosine kinases, NMDA receptors and nitric oxide. Prog Brain Res. 1998;118:115-31. Review. PMID: 9932438 [PubMed - indexed for MEDLINE] 42: Buchert M, Schneider S, Meskenaite V, Adams MT, Canaani E, Related Articles, Links Baechi T, Moelling K, Hovens CM. The junction-associated protein AF-6 interacts and clusters with specific Eph receptor tyrosine kinases at specialized sites of cell-cell contact in the brain. J Cell Biol. 1999 Jan 25;144(2):361-71. PMID: 9922461 [PubMed - indexed for MEDLINE] 43: Araujo M, Piedra ME, Herrera MT, Ros MA, Nieto MA. Related Articles, Links The expression and regulation of chick EphA7 suggests roles in limb patterning and innervation. Development. 1998 Nov;125(21):4195-204. PMID: 9753674 [PubMed - indexed for MEDLINE] Related Articles, Links 44: Chen J, Ruley HE. An enhancer element in the EphA2 (Eck) gene sufficient for rhombomerespecific expression is activated by HOXA1 and HOXB1 homeobox proteins. J Biol Chem. 1998 Sep 18;273(38):24670-5. PMID: 9733765 [PubMed - indexed for MEDLINE] Related Articles, Links 45: Castellani V, Yue Y, Gao PP, Zhou R, Bolz J. Dual action of a ligand for Eph receptor tyrosine kinases on specific populations of axons during the development of cortical circuits. J Neurosci. 1998 Jun 15;18(12):4663-72. PMID: 9614241 [PubMed - indexed for MEDLINE]

e fcg e e cb h g h

e ch

Cell-contact-dependent signalling in axon growth and guidance: Eph receptor tyrosine kinases and receptor protein tyrosine phosphatase beta.

46: Holland SJ, Peles E, Pawson T, Schlessinger J.

Curr Opin Neurobiol. 1998 Feb;8(1):117-27. Review.

Related Articles, Links

Page 6 of 7 PMID: 9568399 [PubMed - indexed for MEDLINE] 47: Frisen J, Yates PA, McLaughlin T, Friedman GC, O'Leary DD. Related Articles, Links Barbacid M. Ephrin-A5 (AL-1/RAGS) is essential for proper retinal axon guidance and topographic mapping in the mammalian visual system. Neuron. 1998 Feb;20(2):235-43. PMID: 9491985 [PubMed - indexed for MEDLINE] Related Articles, Links 1 48: Li YY, McTiernan CF, Feldman AM. IL-1 beta alters the expression of the receptor tyrosine kinase gene r-EphA3 in neonatal rat cardiomyocytes. Am J Physiol. 1998 Jan;274(1 Pt 2):H331-41. PMID: 9458884 [PubMed - indexed for MEDLINE] 1 49: Theil T, Frain M, Gilardi-Hebenstreit P, Flenniken A, Charnay P. Related Articles, Links Wilkinson DG. Segmental expression of the EphA4 (Sek-1) receptor tyrosine kinase in the hindbrain is under direct transcriptional control of Krox-20. Development. 1998 Feb; 125(3):443-52. PMID: 9425139 [PubMed - indexed for MEDLINE] Related Articles, Links 50: Orioli D, Klein R. The Eph receptor family: axonal guidance by contact repulsion. Trends Genet. 1997 Sep;13(9):354-9. Review. PMID: 9287490 [PubMed - indexed for MEDLINE] 1 51: Holash JA, Soans C, Chong LD, Shao H, Dixit VM, Pasquale EB. Related Articles, Links Reciprocal expression of the Eph receptor Cek5 and its ligand(s) in the early retina. Dev Biol. 1997 Feb 15;182(2):256-69. PMID: 9070326 [PubMed - indexed for MEDLINE] 52: Brennan C, Monschau B, Lindberg R, Guthrie B, Drescher U, Related Articles, Links Bonhoeffer F. Holder N. Two Eph receptor tyrosine kinase ligands control axon growth and may be involved in the creation of the retinotectal map in the zebrafish. Development. 1997 Feb;124(3):655-64. PMID: 9043080 [PubMed - indexed for MEDLINE] 53: Zhang JH, Cerretti DP, Yu T, Flanagan JG, Zhou R. Related Articles, Links Detection of ligands in regions anatomically connected to neurons expressing the Eph receptor Bsk: potential roles in neuron-target interaction. J Neurosci. 1996 Nov 15;16(22):7182-92. PMID: 8929427 [PubMed - indexed for MEDLINE] 54: Taneja R., Thisse B., Rijli FM, Thisse C., Bouillet P., Dolle P. Related Articles, Links Chambon P. The expression pattern of the mouse receptor tyrosine kinase gene MDK1 is conserved through evolution and requires Hoxa-2 for rhombomerespecific expression in mouse embryos. Dev Biol. 1996 Aug 1;177(2):397-412. PMID: 8806819 [PubMed - indexed for MEDLINE] Related Articles, Links 55: Brambilla R. Klein R.

e fcg h cb h g

guidance.

b e e ch

Mol Cell Neurosci. 1995 Dec;6(6):487-95. Review. No abstract available.

Telling axons where to grow: a role for Eph receptor tyrosine kinases in

PMID: 8742266 [PubMed - indexed for MEDLINE] 56: Drescher U, Kremoser C, Handwerker C, Loschinger J, Noda M. Related Articles, Links Bonhoeffer F. In vitro guidance of retinal ganglion cell axons by RAGS, a 25 kDa tectal protein related to ligands for Eph receptor tyrosine kinases. Cell. 1995 Aug 11;82(3):359-70. PMID: 7634326 [PubMed - indexed for MEDLINE] 57: Maisonpierre PC, Barrezueta NX, Yancopoulos GD. Related Articles, Links Ehk-1 and Ehk-2: two novel members of the Eph receptor-like tyrosine kinase family with distinctive structures and neuronal expression. Oncogene. 1993 Dec;8(12):3277-88. PMID: 7504232 [PubMed - indexed for MEDLINE] Show: 500 Sort Text Display Summary Send to

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Items 1-57 of 57

Jan 29 2004 15:06:34

One page.